

SUZUKI
PARTS & ACCESSORIES



2020 SUZUKI GENUINE MARINE PARTS & ACCESSORIES CATALOG



Dear Customer,

The Suzuki Genuine Accessories Catalog provides information on the highest quality accessories, specific to your outboard engine and application. We strive to bring you only the highest quality parts to ensure your outboard will run flawlessly for years to come. We recommend only using Suzuki Genuine Accessories on your Suzuki outboard. We never compromise over quality and you shouldn't compromise your boating experience with anything but Suzuki Genuine Accessories. Suzuki is on the forefront of innovation and have the accessories to prove it. If you are thinking of bringing the foremost of technology to your boat, think Suzuki. Pair your Suzuki outboard with our dependable instruments and gauges, custom-engineered propellers, and durably designed rigging items for optimum performance and reliability. Take your time reading through our catalog, and don't hesitate to visit our website or an Authorized Suzuki Marine Dealer.

Thank you,

Suzuki Parts & Accessories

www.suzukimarine.com

TABLE OF CONTENTS

	Digital Controls	4
	Mechanical Controls	12
	Multi-Function Gauge	14
	Multi-Function Display	24
	Digital Instruments	26
	Analog Instruments	28
	Cables & Rigging	32
	Steering	34
	Fuel System	36
	Propellers	38
	DF300B & DF350 Propellers and Tools	42
	Repair Kits & Anodes	44
	Ecstar Oils & Chemicals	46
	Maintenance & Care	50
	Engine Covers	54
	Marine Style	56
	Gifts & Collectibles	66
	Application Chart	70

DIGITAL CONTROLS



Single Engine SPC Box Only
(Replacement Units)

67200-98J05 Single Engine SPC Box only

**Dual/Triple/Quad Engine
SPC Box Only**
(Replacement Units)

67200-98J15 Dual/Triple/Quad Engine
SPC Box only

Suzuki's flagship DF350A 4-stroke leads in power, performance and technology. The following are some high-tech items to help take advantage of Suzuki's leading edge technology.

Suzuki Precision Control (SPC) Electronic Throttle and Shift Systems

For DF150AP/175AP/200AP/250AP/300A/300B/350A



**Flush Mounts
SPC Box Only**
(Replacement Units)

67200-98J24 Flush Mount SPC Box only



Suzuki Precision Maneuvering

- Touch the future with Suzuki's Precision Maneuvering System and enjoy confident intuitive joystick control.
- Designed exclusively for Suzuki outboards with Suzuki Precision Controls, including the new DF150AP, DF175AP, DF200AP, DF250AP, DF300B, and DF350A.
- Experience parallel parking without a thruster.
- Confidently pilot your boat around crowded docks, at waterfront restaurants and at the launch ramp.
- Now available for twin, triple, and quad installations.
- See your Local Authorized Suzuki SeaStar Installation Center for more details.



SUZUKI PRECISION CONTROL | BASIC COMPONENTS

1 Binnacle Mount R/C Box



Flush Mount R/C Box



2 Single Engine Control Panel



3 Main Switch Panel



4 Troll Mode Control Switch



5 Buzzer



6 Boat Control Module



BCM Holder (L/R)



BCM Connect Cap



BCM Cushion



7 Terminal Resistor



8 Battery Sub-Lead



9 BCM #1 Wiring Harness



10 Dual Station Wiring Harness



11 BCM #2 Wiring Harness



12 Emergency Switch Panel




13 Main Wiring Harness




Main Wiring Harness Extension



SINGLE ENGINE SPC KITS



SINGLE STATION



DUAL STATION

SINGLE ENGINE SPC KITS

		67000-98JM3 Flush-Mount Station Kit	67000-98JE5 Single Station Binnacle Kit	67000-98JF4** Second Station Kit**
1	67200-98J05 Binnacle-Mount R/C Box		1	1
	67200-98J24 Flush-Mount R/C Box	1		
2	37100-98J11 Single Engine Control Panel Assy	1	1	1
3	37100-98J06 Main Power Key Switch Assy	1	1	
4	37860-87L00 Troll Mode Control Switch	1	1	1
5	38500-93J90 Warning Buzzer	1	1	1
	09407-08401 Warning Buzzer Clamp	1	1	1
	36770-98J13 Boat Control Module (BCM)	1	1	1
	36775-98J00 BCM Holder (L)	1	1	1
6	36776-98J00 BCM Holder (R)	1	1	1
	33911-88BL0 BCM-Connect Cap	1	1	1
	33925-93J00 BCM Cushion	1	1	1
7	33926-98J00 Terminal Resistor	2	2	
8	36625-98J10 Battery Sub-Lead	1	1	
9	36623-98J20 BCM #1 Wiring Harness	1	1	
10	36622-98J00 Dual Station Main Harness			1
11	36624-98J02 BCM #2 Wiring Harness			1
12	37803-93J05 Emergency Switch Panel			1
-	09403-13402 Harness Clamp	10	10	10
13	36620-98J31 Main Wiring Harness 21ft./6.5m	1*	1*	2*
	36620-98J41 Main Wiring Harness 31ft./9.5m			
	36620-98J51 Main Wiring Harness Extension 6.5ft./2.0m			


* Items not included in Kits. Please purchase items separately.

**Order Single Station Kit in addition to Second Station Kit to complete.



SUZUKI

DUAL ENGINE SPC KITS



INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Dual Engine Control Panel



3 Emergency Switch Panel



14 Engine Wiring Harness




DUAL ENGINE SPC KITS

		67000-98JG5 Single Station Kit	67000-98JH4** Second Station Kit**
1	67200-98J15 Dual Binnacle-Mount R/C Box	1	1
2	37100-98J21 Dual Engine Control Panel Assy	1	1
3	37100-98J06 Main Power Key Switch Assy	1	
4	37860-87L00 Troll Mode Switch Panel	1	1
5	38500-93J90 Warning Buzzer	1	1
	09407-08401 Warning Buzzer Clamp	1	1
	36770-98J13 Boat Control module (BCM)	1	1
6	36775-98J00 BCM Holder (L)	1	1
	36776-98J00 BCM Holder (R)	1	1
	33925-93J00 BCM Cushion	1	1
7	33926-98J00 Terminal Resistor	2	
8	36625-98J10 Battery Sub-Lead	1	
9	36623-98J30 BCM #1 Wiring Harness	1	
10	36622-98J00 Dual Station Main Harness		1
11	36624-98J11 BCM #2 Wiring Harness		1
12	37803-93J06 Emergency Stop Switch Panel		1
	36620-98J31 Main Wiring Harness 21ft./6.5m		
13	36620-98J41 Main Wiring Harness 31ft./9.5m	1*	2*
	36620-98J51 Main Wiring Harness Extention 6.5ft./2.0m		
14	36621-98J00 Dual Engine Single Station Harness	1	
-	09403-13402 Harness Clamp	15	10
-	36612-98J20 Counter Rotation Connector	1	0

* Items not included in Kits. Please purchase items separately.

**Order Single Station Kit in addition to Second Station Kit to complete.

TRIPLE ENGINE SPC KITS



INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Triple Engine Control Panel



3 Emergency Switch Panel



4 Engine Wiring Harness



TRIPLE ENGINE SPC KITS


		67000-98JJ5 Single Station Kit	67000-98JK4** Second Station Kit**
1	67200-98J15	Dual Binnacle-Mount R/C Box	1
2	37100-98J31	Triple Engine Control Panel Assy	1
3	37100-98J06	Main Power Key Switch Assy	1
4	37860-87L00	Troll Mode Switch Panel	1
5	38500-93J90	Warning Buzzer	1
	09407-08401	Warning Buzzer Clamp	1
6	36770-98J13	Boat Control module (BCM)	1
	36775-98J00	BCM Holder (L)	1
	36776-98J00	BCM Holder (R)	1
	33925-93J00	BCM Cushion	1
7	33926-98J00	Terminal Resistor	2
8	36625-98J10	Battery Sub-Lead	1
9	36623-98J30	BCM #1 Wiring Harness	1
10	36622-98J00	Dual Station Main Harness	1
11	36624-98J11	BCM #2 Wiring Harness	1
12	37803-93J06	Emergency Switch Panel	1
	36620-98J31	Main Wiring Harness 21ft./6.5m	
13	36620-98J41	Main Wiring Harness 31ft./9.5m	1*
	36620-98J51	Main Wiring Harness Extention 6.5ft./2.0m	2*
14	36621-98J10	Triple Engine Single Station Harness	1
-	09403-13402	Harness Clamp	18
-	36612-98J20	Counter Rotation Connector	0

* Items not included in Kits. Please purchase items separately.

**Order Single Station Kit in addition to Second Station Kit to complete.



QUAD ENGINE SPC KITS



INSTALLATION PARTS DIFFERENT FROM SINGLE ENGINE

1 Binnacle Mount R/C Box



2 Dual Engine Control Panel



11 Emergency Switch Panel



14 Engine Wiring Harness



QUAD ENGINE SPC KITS

		67000-98J75 Single Station Kit	67000-98J85** Second Station Kit**
1	67200-98J15	1	1
2	37100-98J21	2	2
3	37100-98J06	1	
4	37860-87L00	1	1
5	38500-93J90	2	2
	09407-08401	2	2
	36770-98J22	2	2
6	36775-98J00	2	2
	36776-98J00	2	2
	33925-93J00	2	2
7	33926-98J00	4	
8	36625-98J10	2	
9	36623-98J40	1	1
10	36622-98J00		2
11	37803-93J06		1
	36620-98J31		
12	36620-98J41	1*	2*
	36620-98J51		
14	36622-98J00		2
-	09403-13402	20	15
-	36612-98J20	1	0

* Items not included in Kits. Please purchase items separately.

**Order Single Station Kit in addition to Second Station Kit to complete.

SUZUKI PRECISION CONTROL

Suzuki's flagship DF350A 4-stroke leads in power, performance and technology. Following are some high-tech items to help take advantage of Suzuki's leading edge technology.

For 150AP/175AP/200AP/250AP/300A/300B/350A.



Emergency Stop Switch Panel Assembly

Includes: Emergency Stop Switch with Panel and Lanyard. Required at each station.



Main Power Key Switch Assembly

Main Power Key Switch required for use with switch control panels listed above. Includes key.



Single Engine Control Panel Assembly

37100-98J11

Single Engine Control Panel Assembly

Dual/Quad Engine Control Panel Assembly

37100-98J21 Dual Engine Control Panel Assembly

37100-98J21 Quad Engine Control Panel Assembly (2 required)



Battery Sub-Lead

36625-98J10 For all AP Models DF150 – DF350



Battery Isolator Lead Sets

Used for charging auxiliary battery.

33830-98J02 DF300 2007-2011 only

33830-98J11 DF150/150AP/175/175AP/200AP/250AP/300A/300AP/350A



36620-98J31 21' (6.5m) Wiring Harness

36620-98J41 31' (9.5m) Wiring Harness



36620-98J51 6.5' (2m) Wiring Harness Extension
(Optional; order as needed)



Replacement Wiring Harness (not shown)

36621-98J00 Dual Engine Single Station Harness

36621-98J10 Triple Engine Single Station Harness

36622-98J00 Dual Station Main Harness

36770-98J22 Boat Control Module (BCM) Quad Engine



BCM Harness

36623-98J20 BCM Harness No. 1 for Single Engine Single Station

36623-98J30 BCM Harness No. 1 for Multiple Engines Single Station

36624-98J02 BCM Harness No. 2 for Single Engine Second Station

36624-98J11 BCM Harness No. 2 for Multiple Engine Second Station

36623-98J40 BCM Quadruple Harness

MECHANICAL CONTROLS



Suzuki Genuine Control Boxes are designed for longevity and ease of use.

Choose a control box that fits your application. We offer a Single Binnacle Control Box for your top of the line Suzuki Outboard, or choose a Dual Binnacle Control Box to manage 2 Suzuki Outboards masterfully. Suzuki Genuine Control Boxes define accuracy, user-friendliness and durability.



Single Binnacle Control Box Kit

Single Binnacle Control Box uses a convenient thumb-operated power trim and tilt switch, push-button shifting disengagement for faster warm-ups and built-in neutral safety switch. Kit includes items listed. *Main Wiring Harness must be ordered separately, see next page.

67000-88L02* Single Binnacle Control Box Kit

Includes:

37100-96J26 Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly

67200-88L00 Single Binnacle Control Box Assembly



Dual Binnacle Control Box Kit

Dual Binnacle Control Box includes the same features as the Single Binnacle Control Box, plus a unique base mounted PTT system allowing you to trim the motors individually then adjust them together for maximum performance. Kit includes items listed.

*Main Wiring Harness must be ordered separately, see next page.

67000-88L12 Dual Binnacle Control Box Kit

Includes:

37100-96J16 Dual Ignition Switch with Emergency Stop

38500-92X50 Warning Buzzers (2)

67200-88L11 Dual Binnacle Control Box Assembly



Replacement Control Boxes

67200-88L00	Single Binnacle Control Box '05 - Current
67200-88L11	Dual Binnacle Control Box '05 - Current
67200-93J33	Flush Mount Control Box '05 - Current



Flush Mount Binnacle Control Box Kit

Suzuki's top quality Flush Mount Control Box features include a smooth action, thumb control power trim and tilt switch, a push button to disengage the shifting for faster warm-ups and a built-in neutral safety switch. Reversible for left hand installations. Kit includes items listed.

*Main Wiring Harness must be ordered separately, see below.

67000-93J29*	Flush Mount Binnacle Control Box Kit
---------------------	--------------------------------------

Includes:

37100-96J26	Ignition Switch Panel with Emergency Stop and Warning Buzzer Assembly
67200-93J33	Flush Mount Control Box

Miscellaneous Components

38500-92X50	Warning Buzzer.
36620-93J20	Control Box Adaptor Harness. Adapts 2005+ model control box with square connector to 2004 and earlier motors with round connector.
36620-93J30	Control Box Adaptor Harness. Adapts 2005+ model engine with square connector to 2004 and earlier harness with round connector.



67500-86L00 Single Binnacle Control Box Spacer

67500-88L10 Dual Binnacle Control Box Spacer

Wiring Harnesses

Analog Wiring Harnesses.

36620-89L00	21' Wiring Harness (NON PT or PTT)
36620-93J52	16' Wiring Harness (PT or PTT)
36620-93J02	21' Wiring Harness (PT or PTT)
36620-93J62	26' Wiring Harness (PT or PTT)



Side Mount Control Box Kits

Side Mount Control Boxes can be tailored to your needs. Standard features include a fast idle lever for easy warm-ups, a key-type ignition switch, and an emergency stop switch. *Main Wiring Harness must be ordered separately, see below.

67200-94J30	DF8A thru DF30A	Single Engine With Buzzer
67200-93J60	DF9.9B thru DF250	Single Engine With PTT Switch



SUZUKI MULTI-FUNCTION GAUGE

Multi-Function Gauge - SMG4

When you're on the water, it's vital that you can get the information you need about your engine's condition and performance whenever you need it. That's exactly the thinking behind our Suzuki Multi-Function Gauge.



All the Information in One Place

This brilliantly simple technology gives you the right information at the right time, all on one user friendly, highly intuitive screen. You can view a wide range of important information including engine RPM, speed, trim angle, engine temp, and fuel economy. You'll also receive alerts from the engine's sensors and warning systems. All you need for effortless and relaxing boating in one simple, reassuring, and reliable device.

ANALOG TACHOMETER & SPEED MODE



DIGITAL TACHOMETER MODE



* Speed sensor or GPS module will be required in order to display the speed.

Display Modes

You can operate your Multi-Function Gauge in either digital or analog display mode depending on which you prefer.

Plus the day and night settings mean you can use the gauges at any time. You can also zoom in on individual elements of the display, making it even easier to use.

ANALOG TACHOMETER & SPEED



ANALOG SPEED (NIGHT)



ANALOG TACHOMETER



DIGITAL TACHOMETER & SPEED



DIGITAL (NIGHT)



FUEL MODE



TROLL MODE



New Troll Mode Function

Allows you to control your troll mode from the Multi-Function Gauge.

This function is available from 2019 model years and up. Can only be used by models which are adapted to troll mode.

DIAGNOSTIC MOBILE APP

New Advanced Service Tool

Our new Suzuki Diagnostic System Mobile (SDS Mobile) App lets you send your Suzuki Authorized Dealer all the technical information they need to service and maintain your outboard instantly and easily.



SDS Mobile works in tandem with our new Multi-Function Gauge and new Multi-Function Display. Simply download the App, available on iOS and Android, to your smartphone: you don't need a

separate device. When you email your QR code to the dealer, the data will be transferred directly - including engine serial number, number of hours since last oil change, and total hours of operation at different RPM.



DOWNLOAD THE APP FROM



Apple and Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.

Google Play and the Google Play logo are trademarks of Google LLC. SDS Mobile App and Email Service is entirely free of charge.

How It Works

1. The outboard sends engine data and converts it into a QR code displayed on the Multi-Function Gauge or Multi-Function Display.
2. With the SDS Mobile App, you can then scan the QR code on the Multi-Function Gauge or Multi-Function Display with your phone. The engine data will be stored on your smart phone.
3. You can then send the engine data via email to your Suzuki Dealer.



SUZUKI MULTIFUNCTION GAUGE ACCESSORIES & KIT CONTENTS LIST

Dual Station Starter Kit (Optional)

Includes components to install single gauge at 2nd station on vessel. Includes required components for single engine setup—dual, triple, and quadruple engine configurations will require additional components. See respective configuration page for requirements. See table below for kit contents. SPC engines only.

990CO-96L13-KIT

2nd Station Kit Components		
Part Number	Part Name	990CO-96L13-KIT
1 34011-96L13	Multifunction Gauge	1
3 36682-92E00	Extension wire	1
4 990CO-88104	2' N2K Cable	1
6 990CO-88110	Backbone T	1
9 990CO-88107	15' N2K Cable	
9 990CO-88108	25' N2K Cable	1*
10 36666-96L00	Gauge Power Adapter (dual station)	1
15 36665-96L00	Dual Station Adapter	1

*Choose cable length based on distance between stations

Mechanical and SPC Dual Engine Kits

These kits contain everything you need for a twin engine configuration. Includes necessary N2K components to create a backbone. Please see below for component chart for each type of kit.

Components Chart—Dual Engine Kits (SPC and Mechanical)

1 34011-96L13	Multifunction Gauge
2 36665-87L10	Mechanical Multi Engine Adapter
4 990CO-88104	2' N2K Cable
5 990CO-88112	N2K Power Cable / T
6 990CO-88110	Backbone T
7 990CO-88113	Terminator (F)
8 990CO-88114	Terminator (M)
11a 36661-96L30	Gauge Adapter (Mechanical Engines)
11b 36661-96L20	Gauge Adapter (SPC Engines)
12a 36667-96L00	Gauge Adapter (SPC 2,3,4)

Kits Include		
Mechanical 990CO-96L53-KIT	SPC 990CO-96L73-KIT	
2	2	
1	-	
2	2	
1	1	
2	2	
1	1	
1	1	
2	-	
-	1	
-	1	

COMPONENTS LIST

1 Multifunction Gauge



2 Mechanical Multi Engine Adapter



3 Extension Wire



4 2' N2K Cable



5 N2K Power Cable / T



6 Backbone T



7 Terminator (F)



8 Terminator (M)



9 N2K Cable



11 Gauge Adapter



13a Paddle Wheel/Speed Sensor



13b GPS Antenna w/ Compass




1 34011-96L13	Multifunction Gauge
2 36665-87L10	Mechanical Multi Engine Adapter
3 36682-92E00	Extension wire
4 990CO-88104	2' N2K Cable
5 990CO-88105	6' N2K Cable
4 990CO-88107	15' N2K Cable
9 990CO-88108	25' N2K Cable
5 990CO-88112	N2K Power Cable / T
6 990CO-88110	Backbone T
7 990CO-88113	Terminator (F)
8 990CO-88114	Terminator (M)
9 990CO-88104	2' N2K Cable
9 990CO-88105	6' N2K Cable
9 990CO-88107	15' N2K Cable
9 990CO-88108	25' N2K Cable
10 36666-96L00	Gauge Power Adapter (dual station)
11 36661-96L20	Gauge Adapter (SPC Engines)
11 36661-96L30	Gauge Adapter (Mechanical Engines)
12a 36667-96L00	Gauge Adapter (SPC 2,3,4)
12b 36667-96L30	Gauge Adapter for tanks 3-4
13a 990CO-88317	Paddle Wheel / Speed Sensor
13b 990CO-88122	GPS Antenna w/ Compass
14 36667-96L11	2nd Gauge Adapter
15 36665-96L00	Dual Station Adapter
16 36667-96L20	Extension wire
17 36660-89L02	Adapter for use with DF9.9B - DF30A

SUZUKI SINGLE MECHANICAL ENGINE



Mechanical
Single



Single Mechanical Engine Kit*

This Single Mechanical Engine Kit gives you what you need for single station installs. Includes Suzuki Multifunction gauge, engine adapter, and sun cover.

34000-96L43

Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

990C0-88122

GPS Antenna

990C0-88317

Paddle Wheel

NMEA 2000 Cable Kit*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

990C0-88L00-KIT




*See page 17 for kit parts lists with corresponding diagram reference numbers

SUZUKI DUAL MECHANICAL ENGINES



Mechanical
Dual



Dual Mechanical Engine Kit*

This Dual Mechanical Engine Kit gives you what you need for single station installs. Includes Suzuki Multifunction Gauge, engine adapter, basic N2K components, and sun cover.

990C0-96L53-KIT

NMEA 2000 Cable Kit*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

990C0-88L00-KIT

Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

990C0-88122 GPS Antenna



990C0-88317 Paddle Wheel

*See page 17 for kit parts lists with corresponding diagram reference numbers.

SUZUKI PRECISION CONTROL SINGLE



Suzuki Precision Control Single



Single SPC Engine Gauge Kit*

This Single SPC Engine Gauge Kit gives you what you need for single station installs. Includes Suzuki Multifunction gauge, engine adapter, and sun cover.

34000-96L63

Dual Station Starter Kit* (Optional)

The Dual Station Starter Kit includes components to install single gauge at 2nd station on vessel. Includes required components for single engine setup—dual, triple, and quadruple engine configurations will require additional components. See respective configuration page for requirements. See table below for kit contents.

990C0-96L13-KIT

NMEA 2000 Cable Kit*

This NMEA 2000 Cable Kit includes the basics for what you need to make a NMEA 2000 backbone in your electronics system. A backbone is required for speed data (optional) to be shown on the Suzuki Multifunction Displays. Speed sources listed below.

990C0-88L00-KIT

Speed Data Sources (Optional)

SMG must have a speed source to display speed data. This can be achieved by adding a GPS antenna or paddle wheel transducer to the backbone if no other speed source is available. Simply use the included N2K Tee to extend your backbone and plug it in! (GPS option shown in diagram)

990C0-88122

GPS Antenna

990C0-88317


Paddle Wheel

*See page 17 for kit parts lists with corresponding diagram reference numbers

SUZUKI PRECISION CONTROL DUAL



Suzuki
Precision
Control Dual



Dual SPC Engine Gauge Kit*

The Dual SPC Engine Gauge Kit gives you need for single station installs. Includes two gauges and necessary N2K components to create a backbone for your twin engine / twin gauge setup.

990C0-96L73-KIT

Dual Station Starter Kit* (Optional)

The Dual Station Starter Kit includes components required in addition to the dual station starter kit. Please see table below for complete order list for dual engine, dual station.

990C0-96L13-KIT

Parts List--Suzuki Precision Control Dual Engine, Dual Station

Part Number	Part Name	Qty. reqd.
990C0-96L73-KIT	Gauge Kit	1
990C0-96L13-KIT	Dual Station Kit	1
1 34011-96L13	Multifunction Gauge	1
4 990C0-88104	2' N2K Cable	1
6 990C0-88110	Backbone T	1
9 990C0-88107	15' N2K Cable	1*
9 990C0-88108	25' N2K Cable	1*
14 36667-96L11	2nd Gauge Adapter	1
15 36665-96L00	Dual Station Adapter	1


*Choose cable length based on distance between stations

*See page 17 for kit parts lists with corresponding diagram reference numbers

SUZUKI PRECISION CONTROL TRIPLE



Suzuki
Precision
Control Triple



Triple Engine SPC Gauge Rigging

By purchasing a dual SPC gauge kit and adding a few more components, you'll have just what you need to display engine data from each engine on your boat. Follow the ordering table below for either single or dual station setups. Select column for either single or dual station, then order the listed quantities in that column of the corresponding part numbers on the left of the table.

Suzuki Precision Control Triple Engine		Single Station	Dual Station
Part Number	Part Name	Qty. reqd.	Qty. reqd.
990C0-96L73-KIT	Gauge Kit	1	1
990C0-96L13-KIT	Dual Station Kit	-	1
1 34011-96L13	Multifunction Gauge	1	3
4 990C0-88104	2' N2K Cable	1	3
6 990C0-88110	Backbone T	1	3
9 990C0-88107	15' N2K Cable	-	1*
9 990C0-88108	25' N2K Cable	-	1*
14 36667-96L11	2nd Gauge Adapter	-	2
15 36665-96L00	Dual Station Adapter	-	1


*Choose cable length based on distance between stations

*See page 17 for kit parts lists with corresponding diagram reference numbers

SUZUKI PRECISION CONTROL QUADRUPLE



Suzuki
Precision
Control
Quadruple



Quadruple Engine SPC Gauge Rigging

By purchasing a dual SPC gauge kit and adding a few more components, you'll have just what you need to display engine data from each engine on your on your boat. Follow the ordering table below for either single or dual station setups. Select column for either single or dual station, then order the listed quantities in that column of the corresponding part numbers on the left of the table.

Suzuki Precision Control Quadruple Engine		Single Station	Dual Station
Part Number	Part Name	Qty. reqd.	Qty. reqd.
990C0-96L73-KIT	Gauge Kit	1	1
990C0-96L13-KIT	Dual Station Kit	-	1
1 34011-96L13	Multifunction Gauge	2	5
2 36665-87L10	Multi Engine Adapter	1	1
3 36682-92E00	Extension wire	-	1
4 990C0-88104	2' N2K Cable	2	5
6 990C0-88110	Backbone T	2	5
9 990C0-88107	15' N2K Cable	-	1*
9 990C0-88108	25' N2K Cable		1*
11 36661-96L20	Gauge Adapter (SPC Engines)	1	1
12 36667-96L00	Gauge Adapter (SPC 2,3,4)	1	1
15 36665-96L00	Dual Station Adapter	-	1

*Choose cable length based on distance between stations

*See page 17 for kit parts lists with corresponding diagram reference numbers

NEW MULTI-FUNCTION DISPLAY



New Multi-Function Display Connected to Earth

The all new Multi-Function Display and its features offers you access to all the information you need for The Ultimate boating experience. Control at the touch of a finger with the touch screen glass top design, available in 12" and 16" sizes.

Key Benefits:

The Suzuki Multi-Function Display gives you access to all of your Suzuki engine information, so you can easily and quickly see the performance of your outboard(s) in one clear view. Additional features include chartplotting, sounder, radar, and weather. Detailed cartography chip not included. Transducers, radar antennas, and weather antennas must be purchased from your local Furuno dealer. Additional charge to unlock radar and sounder functions on 12" and 16" models, unlock codes can be purchased from your local Furuno dealer.






New Multi-Function Display - SMD7 and SMD9

Powerful Technology in a compact design that is compact enough to fit on small runabouts and center consoles. The 7" and 9" touch screens enable you to operate the chartplotter with built-in fish finder at the touch of a finger.



SUZUKI DIGITAL INSTRUMENTS



Suzuki Color Display Kit

990C0-02C10-KIT Suzuki Color Display Kit includes:

Part Number	Description	Qty
990C0-01C10	Suzuki Color Display	1
990C0-88114	Male Terminator	1
990C0-88113	Female Terminator	1
990C0-88110	NMEA "T"	2
990C0-88112	Power Cable + Network T	1
990C0-88149-354	Interface Cable	1

The Suzuki Color Display is a LED high-resolution screen that has very sharp, crisp lines and is extremely easy to read. It has a bonded glass front screen so whether it be sun, salt, or UV rays, your screen will never blur or fade like a plastic cover. The C-10 has its mounting points in the front so there is no need to crawl under your console to mount it. There is one easy connection to Suzuki's digital harness. Save your favorite programming and update the display using the Mini USB port. The C-10 is able to monitor functions such as RPM, Speed*, Water Pressure*, Fuel Level*, Fuel Consumption, Coolant Temperature, Oil Level, Oil Temperature, Trim Level, Hours, or Volts (* additional sensors required). The C-10 is able to monitor up to 2 engines simultaneously. The Suzuki C-10 can be retro-fitted, to replace a 4" round gauge

How It Works

- Bright, full color 320 x 240 LED screen makes it easier to see menus and screen detail in both full sunlight and night operation
- Fits standard 3-3/8" gauge cutout
- Each C-10 gauge will display engine info from 1 or 2 engines
- Preconfigured pages or create your own
- Micro USB for software updates (update cable required)
- Power and data through single NMEA 2000 micro-C connector
- Low profile front mount – 8 mm of dash (rear mount option for "glass dash" installations)

Suzuki C-10 Cover

This cover protects the Suzuki Color Display (C-10) from the elements. Use the cover to extend the life of your Suzuki C-10 Color Gauges.

990C0-10C10

Suzuki C10 Cover

SUZUKI C-10 & NMEA 2000 ACCESSORIES PARTS LIST

SENSORS



GPS Antenna with Compass

Suzuki has upgraded its GPS Antenna to include compass heading.

990C0-88122	GPS Antenna with Compass Heading
--------------------	----------------------------------

Fluid Level Sensor

Monitors fluid levels such as fuel, live well water level, etc. 10 ft. cable.

990C0-88113	Terminator - Female
--------------------	---------------------

Speed Sensor

Paddle wheel-type speed sensor. 10 ft. cable.

990C0-88317	Speed Wheel
--------------------	-------------

Temperature Sensor

Surface Water Temperature sensor. 10 ft. cable.

990C0-88118	Temperature Sensor
--------------------	--------------------

Water Pressure Sensor

990C0-88339	Water Pressure Sensor
--------------------	-----------------------

INTERFACE CABLES



Engine Interface Cables

DF9.9B thru DF350A Suzuki Outboards can connect to the system using the exclusive Engine Interface. (Adapter Cable also needed for DF150AP/175AP/200AP/250AP/300AP/350A applications.)

990C0-88149-354	Software Version 3.5 (subject to change)
990C0-88149-294	Software Version 2.9 (subject to change)

Suzuki Engine Connect Gateway

The Suzuki Engine Connect Gateway provides Suzuki engine information, diagnostic codes and proprietary pop-up messages on compatible Simrad and Lowrance Multi-Function display (MFD) units. Note: Do not utilize C10 gauges with the Suzuki Connect Gateway. Only one Suzuki Connect Gateway is required per vessel. In multiple engine applications, each additional engine will require a standard Suzuki engine interface."

990C0-88170	Suzuki Connect Gateway
--------------------	------------------------

ENGINE ADAPTERS



Adapters

Adapter must be used with Engine Interface to connect the DF150AP/175AP/200AP/250AP/300AP/350A Outboard to the system.

990C0-88131	Single Engine Adapter (not shown)
990C0-88132	Dual Engine Adapter (shown below)
990C0-88133	Triple Engine Adapter (not shown)
990C0-88132 x2	Quad Engine Adapter (not shown)
990C0-88136	NMEA 2000 Adapter - to connect at engine SDS connector. 6' long. (shown above)
36660-89L02	Adapter for use with DF9.9B - DF30A. 21' long.

NMEA 2000 COMPONENTS (Continued)



Quad Power Node

Allows network to be powered from multiple power sources (key switch, accessory switch, etc.).

990C0-88130	Quad Power Node
--------------------	-----------------



T-Connector

T-Connector for NMEA 2000 system.

990C0-88110	T-Connector
990C0-88109	Quad-T

NMEA 2000 COMPONENTS



NMEA 2000 Extension Cables

NMEA 2000 Extension Cable allows compatible sensors or other devices to be added by the use of T-Connectors throughout the system.

990C0-88104	2' Connection cable
990C0-88105	6' Connection cable
990C0-88107	15' Connection cable
990C0-88108	25' Connection cable



Power Cable

Fused(3A) lead connects extension cable to the power source.

990C0-88112	Single Power Cable (Includes Network T)
--------------------	---

Power Isolation

The NMEA 2000 power isolator makes sure the NMEA 2000 power from the engines and system power are kept separate.

990C0-88115	Network Power Isolator (not shown)
--------------------	------------------------------------

NMEA Adaptor

Used to connect a new style NMEA device net connector to an older network with Blue T's. Used to connect an early Blue Connector device to the later NMEA T.

990C0-88137	NMEA Device to Blue "T"
--------------------	-------------------------

Terminating Resistors

120 ohm Terminating Resistors are required for any open cable ends in the NMEA 2000 system.

990C0-88113	Terminator - Female
990C0-88114	Terminator - Male



SUZUKI ANALOG INSTRUMENTS



Suzuki Genuine Instruments are custom-designed to provide the quality, reliability and value you expect from Suzuki Products.

The wide selection allows you to accurately monitor a variety of essential functions. All instruments are lighted for night-time boating and feature standard 2" and 4" diameters for easy installation.



4" Tachometers

7,000 max RPM Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

34200-93J14	White - With monitor functions
34200-93J34	White - Without monitor functions
34200-93J02	Black - With monitor functions
34200-93J22	Black - Without monitor functions

Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1,200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.



37860-87L00

DF40A/50A/50AV/60A/60AV/70A/90A/115A/115SS/140A/150A/150AP/DF175A/175AP/200A/250AP/300A/300B/350A

4" Tachometer With Suzuki Troll Mode Scale

Easy to read 4" Tachometer has a scale from 0-7,000 RPM for standard use and a secondary scale from 0-3,000 RPM with markers at 50 RPM intervals for use with the Suzuki Troll Mode System. Gauge also includes warning lamps for Engine Temperature, Low Oil, Check Engine, and Over-Rev. When in Troll Mode, Over-Rev Lamp stays on to indicate that Troll Mode has been engaged. The secondary RPM scale is designed to make setting and maintaining a lower troll speed simple. Fits DF40A/50A/50AV/60A/60AV/70A/90A/115A/140A (DF300/350A requires C-10 gauges) *See engine owner's manual for information about Suzuki Troll Mode System. Not all models come equipped with trolling mode system. Accessory Troll Mode Switch is required for Suzuki Troll Mode System use. Suzuki recommends the use of this gauge for trolling use.

34200-93J53	White - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation)
34200-93J42	Black - DF40A/50A/50AV/60A/60AV/70A/90A/115SS/140A/150SS/150A/175A/200A/200SS (DF150AP/175AP/200AP/250AP/300/300B/350A requires digital instrumentation)



4" Speedometers

Bourdon-tube type speedometer with readings in M.P.H. and Km/h. Includes vinyl tube, plus all installation instructions and hardware. *Pitot tube 34190-87D00 must be ordered separately.

34100-93J13	White - 80 mph
34100-93J33	White - 50 mph
34100-93J02	Black - 80 mph
34100-93J22	Black - 50 mph
34190-87D00*	Pitot Tube



2" Hour Meter

12 volt electric motor driven meter indicates the number of hours your outboard motor has been operated to indicate when periodic services are necessary.

34500-93J13	White
34500-93J02	Black

2" Trim Gauge

Magnetic type gauge shows trim angle for optimum performance and efficiency.

34800-93J13	White
34800-93J02	Black

2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system using a Voltmeter.

34600-93J13	White
34600-93J02	Black



2" Fuel Gauge

Operates on 12 volts with magnetically damped needle. Works with most fuel tank sending units.

34300-93J13	White
34300-93J02	Black



2" Water Pressure Gauge 15 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

34650-93J33	White
34650-93J22	Black



Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

34660-93J01	BDF225/250/250AP/300APP
34660-96J00	DF150/150AP/150A/DF175/175AP/175A/200A
34660-99E00	DF60/70
34660-87J00	DF40/50
34660-90J02	DF40A/50A/50AV/60A/60AV/70A/90/DF90A/115/115A/140/140A

SUZUKI ANALOG INSTRUMENTS

Economically priced, high-quality instruments feature easy plug-in wiring connections, perimeter-lighted dial, chrome bezels, contoured pointers and fog-resistant glass lenses. All use standard 2" or 4" diameters for easy dash installation.



White



Black



4" Tachometers

7,000 max R.P.M. Tachs are available with or without 4-Stroke monitor functions. Monitor functions include: Low Oil Pressure Warning, Engine Temperature Warning, Check Engine Warning and Over-Rev Limit Warning.

990C0-80101	White - With monitor functions
990C0-80100	White - Without monitor functions
990C0-80001	Black - With monitor functions
990C0-80000	Black - Without monitor functions

4" Speedometer

Easy to read 4" Speedometer features include lighted dial, contoured pointer and fog-resistant glass lens. *Requires Tubing 99105-80009.

990C0-80102	White 60 mph
990C0-80009*	Speedometer Tubing (not shown)
990C0-80002	Black 65 mph
990C0-80009*	Speedometer Tubing (not shown)



White



Black

2" Engine Monitor Gauge

Engine Monitor Gauge for 4-stroke engines helps alert you to low oil pressure, high engine temperature and engine over-rev

990C0-80108	White
990C0-80008	Black



White



Black

2" Trim Gauge

To help maintain steering stability and good performance, proper trim angle is essential. The Trim Gauge helps you monitor the trim angle. For use with 2-wire senders.

990C0-80105	White
990C0-80005	Black



White



Black

2" Hour Gauge

Handy Hour Meter helps you keep track of the time between services and total running time.

990C0-80107	White
990C0-80007	Black



White



Black

2" Fuel Gauge

Adding a Fuel Gauge can help you monitor fuel level. Connects easily using your boat's fuel sending unit harness.

990C0-80103	White
990C0-80003	Black



White



Black

2" Voltmeter

A well charged battery is essential for quick and easy starts. Monitor the charging system by using a Voltmeter.

990C0-80106	White
990C0-80006	Black



White



Black

2" Water Pressure Gauge 30 psi

Bourdon-tube type gauge measures cooling water pressure. Instructions and dash installation hardware included. Order Installation Kit for appropriate model.

990C0-80104	White
990C0-80004	Black



Water Pressure Gauge Installation Kits

Kit includes fittings and hoses needed for motor to gauge connection.

34660-93J01	DF225/250/250AP/300A
34660-87J00	DF40/50
34660-96J00	DF150/150AP/150A/DF175/175AP/175A/200AP
34660-99E00	DF60/70
34660-90J02	DF40A/50A/50AV/60A/60AV/70A/90A/90/115/115A/140/140A

CABLES AND RIGGING



Dual Engine Ignition and Emergency Stop Switch Panel Assembly

Dual Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J16



Emergency Stop Switch Panel Assembly

Emergency Stop Switch Panel Assembly. Includes wiring, hardware and lanyard.

37803-93J06



Single Engine Ignition Switch Panel Assembly

Single Engine Ignition Switch Panel Assembly. Includes wiring and hardware.

37860-87L00

DF40A/50A/50AV/60A/60AV/70A/
90A/115A/115SS/140A/150A/
150AP/DF175A/175AP/200A/
250AP/300A/300B/350A

Switch Panel Assemblies

Genuine Suzuki Switch Panel Assemblies are designed to match and connect with other Suzuki components for easy installation and trouble-free operation.



Trolling Mode Control Switch

Allows the use of the Suzuki Troll Mode on equipped engines. When Troll Mode is engaged, this switch allows for adjustments of engine RPM in 50 RPM increments, from idle to 1200 RPM to make setting and maintaining a trolling speed easy. Consult owner's manual or Suzuki Outboard Dealer for additional details on Suzuki Troll System operation.

37860-87L00

DF40A/50A/50AV/60A/60AV/70A/
90A/115A/115SS/140A/150A/
150AP/DF175A/175AP/200A/
250AP/300A/300B/350A



Single Engine Ignition and Emergency Stop Switch Panel Assembly

Single Engine Ignition and Emergency Stop Switch Panel Assembly. Includes wiring, hardware and stop switch lanyard.

37100-96J26





P.T.T. Switch Panel Assembly

P.T.T. Switch Panel Assembly. Includes wiring and hardware.

37805-93J00

Aux Power Trim Switch (not shown)

Allows quick connection of remote trim switch with easy plug-in bullet connectors.

36647-93J00



Wiring Harness

Main Wiring Harness. Order length as needed for rigging applications.

36620-93J52	16' Wiring Harness
36620-93J02	21' Wiring Harness
36620-93J62	26' Wiring Harness
36620-93J10	6' Wiring Harness Extension
36620-93J40	10' Wiring Harness Extension



Battery Isolator Lead Set

Used for charging auxiliary battery.

33830-96J00	DF150/175 (S/N Models up to 499999)
33830-98J11	DF150/175 (S/N Models 510001 and newer) DF200AP/175AP/150AP/250A/300A/300B
33830-98J02	DF300 (Models up to 199999)



Thru-Hull Fitting And Hose Kits

Thru-Hull Fitting and Hose Kit can handle single, dual and triple motor installations. One Thru Hull Kit and one Adaptor Kit is necessary for each outboard used.


990C0-20010 Includes:	Black Thru Hull Kit • 1 - 4' Black Hose • 1 - Fuel Hose Port • 1 - 2" Thru-Hull Fitting • 2 - Stainless Steel Bolts & Nuts
---------------------------------	--

990C0-20020 Includes:	White Thru Hull Kit • 1 - 4' Black Hose • 1 - Fuel Hose Port • 1 - 2" Thru-Hull Fitting • 2 - Stainless Steel Bolts & Nuts
---------------------------------	--

Suzuki Performance Remote Control Cables

Suzuki Performance Cables have a unique design that incorporates a patent-pending splined core. Ridges on the core allow a close fit to the cable's inner liner with minimum contact, allowing the core to glide back and forth smoothly. All cables are factory tested and approved for heavy use applications. Order cable length as needed.

990C0-11002-008	8'	990C0-11002-014	14'
990C0-11002-009	9'	990C0-11002-015	15'
990C0-11002-010	10'	990C0-11002-016	16'
990C0-11002-011	11'	990C0-11002-017	17'
990C0-11002-012	12'	990C0-11002-018	18'
990C0-11002-013	13'	990C0-11002-019	19'



990C0-11002-020	20'	990C0-11002-026	26'
990C0-11002-021	21'	990C0-11002-027	27'
990C0-11002-022	22'	990C0-11002-028	28'
990C0-11002-023	23'	990C0-11002-029	29'
990C0-11002-024	24'	990C0-11002-030	30'
990C0-11002-025	25'		

Adapter Kits

Kit Includes:

- 1 - Through-Hull attachment
- 2 - pins,
- 2 - e-rings



67300-98J10	DF115A/140A/150/175/200A/200AP/DF250AP/300A/300B/350A 2016-Newer
67300-93J00	DF150/175/200/225/250/300 2006-2015
67300-90J00	DF70A/90A/115/140 2006-2015

Replacement Lanyard

Replacement Lanyard for Emergency Stop Switch.

37823-92E02



Replacement Ignition Keys (not shown)

37141-99E00	Key 931	37141-99E60	Key 937
37141-99E10	Key 932	37141-99E70	Key 938
37141-99E20	Key 933	37141-99E80	Key 939
37141-99E30	Key 934	37141-99E90	Key 940
37141-99E40	Key 935	37141-99EA0	Key 941
37141-99E50	Key 936	37141-99EB0	Key 942

STEERING



Tiller Handle Kits

New fully-integrated tiller handle with digital tachometer display. Includes redesigned, more ergonomic shift lever.

PEARL NEBULAR BLACK

63002-88L27-YAY	DF40A/50A
63002-88L16-YAY	DF50AV/60A/60AV
63002-87L16-YAY	DF70A/90A
63002-90J36-YAY	DF115A



Digital Tachometer



Shift Lever



Angle Adjustable Bracket



Tiller Handle Kits

Tiller Handle Kits are designed for easy installation for selected electric start models. Kit includes ignition switch, engine stop switches, wiring harness, cables and grommets.

63002-87J26-0EP	DF40/50	'05 - '09
63002-88L30-0EP	DF40A/50A/60A	'10 - Current
63002-87L06-0EP	DF70A/90A	'09 - Current
63002-90J41-0EP	DF90/115 w/ Hydraulic Tensioner	'05 - Current



Dual Cable Steering Kit

Kit allows you to attach two steering cables for added reliability.

990C0-10004 DF150 - DF250



Twin Engine Adapter Plate Set

Adapter plates are used when installing a tie bar on a D115A/140A.

99105-10005 DF115A/140A

*Does NOT fit DF90A



Drag Link Kits

Corrosion-resistant stainless steel Drag Links are specially designed for use with Suzuki Outboard Motors.

67701-99J02	DF9.9B-DF20A	'10 - Current
67701-93E12	DF9.9/15	'97 - '10
67701-94L00	DF25A/30A	
	DF40/50	'99 - '10
67701-87J11	DF40A-60A/200-250	'10 - Current
	DF60/70	'98 - '10
67701-87L01	DF70A/90A	'09 - Current
67701-90J01	DF90/115/140A	'01 - Current
67701-96J00	DF150-175/200A/AP	'06 - Current
67700-93J00	DF225/250	'04 - Current



Dual Engine Tie Bar

Stainless steel Tie Bar for dual engine steering, adjustable up to 36".

99105-10006 DF40A - DF140A

FUEL SYSTEM



Compact Water Separator/Fuel Filter

Compact size Water Separator/Fuel Filter is ideal for smaller boat-motor combinations of up to 140 H.P. Not for 150 and above.

99105-20006	Replacement Filter
99105-20006-ASY	Complete Assembly
99105-20006-BWL	Bowl and Drain Valve Assembly



Water Separator/ Fuel Filter

State-of-the-art filter removes water and other contaminants from the fuel before they reach your engine. It features a transparent removable bowl for easy viewing of fuel condition and a drain valve for water and other impurities. Due to the high flow rate capabilities of this filter system, a special large diameter thread is used. Use only Genuine Suzuki Replacement Filter 99105-20005. Applicable to all models, recommended 150 and up.

99105-20005	Replacement Filter
99105-20005-ASY	Complete Assembly
99105-20004-BWL	Bowl and Drain Valve Assembly



Bowl Wrench

99105-20003 Bowl Wrench



Plastic Fuel Tanks*

Constructed of tough, lightweight, high-density polyethylene and made to CARB / EPA standards.

65000-99J01	3 Gallon Tank without Fuel Level Gauge, 11mm connector
65000-95J01	6.6 Gallon Tank with Fuel Level Gauge, 13mm connector

* Not for use with DF 4/6 without fuel hose with pressure regulator. See dealer for details.

FUEL CONNECTORS - MOTOR SIDE

Male connectors are located on the motor side, for fuel hose attachment.



65720-985L1	OD:11mm Plated Brass	DT3.5 - 65
--------------------	-------------------------	------------

FUEL HOSE CONNECTORS

Quick connect and disconnect female fittings fit either hose end.



65750-98505	ID:11mm	Metal for small diameter hoses
--------------------	---------	--------------------------------

FUEL TANK CONNECTORS

Fuel tank connectors are available in stainless steel with metric thread and plated brass with 1/4" NPT.



65720-98590	OD:11mm Metric	All Models
--------------------	----------------	------------



65720-95512	OD:13mm Plated Brass	DT75 - 140A
--------------------	-------------------------	-------------



65750-93000	ID:13mm	Metal for small diameter hoses
--------------------	---------	--------------------------------



65740-95500	OD:13mm Metric	All Models
--------------------	----------------	------------



65720-94403	OD:13mm Plastic	DT4 - 65
--------------------	-----------------	----------



65750-95500	ID:13mm	Metal for small diameter hoses
--------------------	---------	--------------------------------



99105-00192	OD:11mm 1/4" NPT	U.S. Tanks
--------------------	------------------	------------



65720-94403	OD:13mm Plastic	DT4 - 65
--------------------	-----------------	----------



65750-94404	ID:13mm Plastic	DT4 - 140A
--------------------	-----------------	------------



99105-00193	OD:13mm 1/4" NPT	U.S. Tanks
--------------------	------------------	------------




65720-986L0	Plastic	DF4 - 140A
65721-87D00	OD:13mm Plastic (not shown)	DT150 - 225



65750-87J11	Plastic	DF4 - 140A
--------------------	---------	------------

PROPELLERS

Propeller selection is very important in the performance of your boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller selected. Operating requirements and conditions will also affect which design, style and pitch of propeller you may choose to meet your individual needs. The boat and engine combination may have already been tested by your dealer or the boat manufacturer for the appropriate propeller size. Your Suzuki Dealer can assist you with the process to determine the correct propeller for your application.



Stainless Steel Propellers


Suzuki Stainless Steel Propellers offer higher performance and greater durability than aluminum propellers. The aggressive design of these propellers enhances the overall performance of your boat and the durability of the stainless steel construction will give you long term dependability. Your Suzuki Stainless Steel Propeller is also fitted with a rubber cushion hub to help absorb vibration and shock.

Propeller Sizing

When referring to propeller size, such as 3 x 13 x 18, the first number indicates the number of blades, the second number details the diameter of the propeller in inches and the third number is the pitch of the propeller in inches. The pitch is the most significant number in the description. The diameter is usually predetermined by the propeller engineers and is based on the size and series of the engine.


Diameter

Diameter is considered to be the distance across an imaginary circle that is made when a propeller is rotated. Diameter is determined during the engineering process of designing a propeller and is usually based on requirements to meet the needs of engine size, gear case design, horsepower and speed.



Pitch

Pitch is used to describe the theoretical distance that a propeller "corkscrews" through the water in inches of forward travel. In theory, an 18" pitch propeller would move ahead 18" with each complete revolution of a propeller. There is always some percentage of inefficiency as water conditions, boat weight and propeller style are introduced into the performance equation. The lower the "slip factor," the more efficiently the propeller will perform and the faster the speed at a given engine RPM. Lower pitches accelerate faster, but have a lower top end speed. Higher pitches have a slower acceleration, but may attain higher top speeds. An inch of pitch generally is equal to 150 – 200 engine RPM at wide open throttle (WOT). If pitch is increased by an inch, RPM will decrease by 150 – 200 RPM at WOT. If pitch is decreased by an inch, RPM will increase by 150 – 200 RPM at WOT. Always operate your boat/engine combination within the recommended RPM range guidelines as stated in your operator's manual. Operating outside the recommended range can cause severe damage to your engine and may void the engine warranty.



Propeller Cup

Cup is used to reduce the slip and ventilation of the propeller. This will allow you to operate your engine at a higher transom mounting and allow you to use more trim for bow lift. The cup refers to the area along the trailing edge of the propeller blade that has an increased pitch in the last 1/2" of the blade surface and extends to the blade tip.

Rake

Rake is described as the angle, in degrees, that the propeller blades are mounted to the "barrel" of the propeller. The blades of a zero degree rake propeller are mounted perpendicular to the "barrel" of the propeller. The blades of a higher rake propeller angle more to the rear of the propeller. A propeller with a high rake design will hold the water on the blades longer during operation and will ventilate less at higher engine heights. High rake propellers will produce higher thrust that will help lift the bow of the boat more effectively.



Propeller Lock

Theft protection for your boat's propeller, in and out of the water. Constructed of naval brass and stainless steel for long life. Easy to install. Also fits counter rotation models.

99105-30003 DF40 – 350A



Propeller Hardware Kits

Includes the spacer, cotter key, washer and nut to secure the propeller to the shaft. Great for tackle or tool box.

57630-99J00	DF9.9A
57630-93900	DF9.9B
57630-96300	DF25/30
57630-94301	DF40/50/60A
57630-94500	DF60/70 with V-Style
57630-90J00	DF50AV/60AV/70A/90A/115/115A/140/140A
57630-92E00	DF150 and up and V-6 Models
57630-93L00	For WaterGrip Props only (-0081X, -0084X, -0051X)

PROPELLERS

DF4/6 (Optional) '03-'10)

Material	Blades	Diameter	Pitch	Part Number	DF4	DF6
Aluminum	3	7-1/2	6	58110-91JL0-019	'04-Current	'04-Current
Aluminum	3	7-1/2	6-1/2	58110-91JM0-019	'04-Current	'04-Current
Aluminum	3	7-1/2	7	58110-91JN0-019	'04-Current	'04-Current
Aluminum	3	7-1/2	6	58111-98602-019	'03	
Aluminum	3	7-1/2	6-1/2	58111-98641-019	'03	
Aluminum	3	7-1/2	7	58111-98651-019	'03	

Diameter and pitch are measured in inches. ■=Optional. Refer to the Bushing Application Chart.

DF9.9/15/20

Material	Blades	Diameter	Pitch	Part Number	DF9.9	DF15/20
Aluminum	3	9-1/4	7	58100-89L00-019	■	■
Aluminum	3	9-1/4	8	58100-90L41-019	■	■
Aluminum	3	9-1/4	9	58100-90L50-019	■	■
Aluminum	3	9-1/4	10	58100-90L60-019	■	■
Aluminum	3	9-1/4	11	58100-89L70-019	■	■
Aluminum	3	9-1/4	12	58100-89L50-019	■	■
Aluminum	3	9-1/4	10	58100-90L21-019	■	■
Aluminum	4	10	5	58100-94JA2-019	■	

Diameter and pitch are measured in inches. ■=Optional.

DF9.9B/15A/20A

Material	Blades	Diameter	Pitch	Part Number	DF15A/20A
Aluminum	3	9-1/4	8	58100-90L41-019	■
Aluminum	3	9-1/4	9	58100-90L50-019	■
Aluminum	3	9-1/4	10	58100-90L60-019	■
Aluminum	3	9-1/4	11	58100-89L70-019	■
Aluminum	3	9-1/4	12	58100-89L50-019	■

Diameter and pitch are measured in inches. ■=Optional.



DF25A/30A

Material	Blades	Diameter	Pitch	Part Number	DF25A/30A
Aluminum	3	10-1/4	9	58100-96372-019	■
Aluminum	3	10-1/4	10	58100-91L40-019	■
Aluminum	3	10-1/4	10	58100-96472-019*	■
Aluminum	3	10-1/4	11	58100-91L50-019	■
Aluminum	3	10-1/4	12	58100-96482-019	■
Aluminum	3	10-1/4	13	58100-96492-019	■
Aluminum	3	10-1/4	14	58100-95D01-019	■
Aluminum	3	10-1/4	15	58100-96462-019	■

Diameter and pitch are measured in inches. ■=Optional.

*Thicker Blade

DF60/70

Material	Blades	Diameter	Pitch	Part Number	'98 - '09
Aluminum	3	14	11	58100-99E10-019	■
Aluminum	3	13-3/4	13	58100-99E00-019	■
Aluminum	3	13-1/2	15	58100-94500-019	■
Aluminum	3	13-1/4	17	58100-94512-019	■
Aluminum	3	13	19	58100-94522-019	■
Aluminum	3	13	21	58100-94532-019	■

Diameter and pitch are measured in inches. Extremely durable stainless steel propellers especially designed for high performance boats. ■=Optional. Type V Cuffed aluminum propeller with press-in bushing.

Propeller Bushing Application

Applications	Bushing Type	Bushing	Stopper	Spacer	Washer	Nut
DF4 '03 Models	Push-In	58120-98600				58130-91JL0
DF4 '04 - Current Models	Press-In	58120-91JL0	57635-91JL0	58130-91JL0	58100-90L41-019	58100-90L41-019
DF6 '03 - Current Models	Press-In	58120-91JL0	57635-91JL0			58130-91JL0
DF9.9/9.9A/9.9B/15/15A/20A	Press-In	58120-89L00	57632-94J00	57633-93901	09160-12066	09141-12005
DF25/30 '00 - Current Models	Press-In	58120-96401	57632-96400	57633-96300	09160-14028	09141-14008
DF25 V-Twin	Press-In	58120-96401	57632-95J00	57633-96300	09160-14028	09141-14008
DF40/50	Press-In	58120-88L01	57632-95320	57633-94301	09160-18028	09141-18005
DF40A/50A/60A '10 - Current Models	Press-in	58120-88L01	57632-95320	57633-94301	09160-18028	09141-18005
DF60/70	Press-In	58120-95500	57635-95510	57633-95501	09160-18028	09141-18005
DF60/70	Press-In	58120-94520	57635-94511	57633-94500	09160-18028	09141-18005
DF70A/90A '09 - Current Models	Press-In	58120-90J00	57632-87L01	57633-90J02	09160-18028	09141-18005
DF90/115/140A	Press-In	58120-90J00	57635-90J01*	year specific	09160-18028	09141-18005
DF90/115/140A	Press-In	58120-90J00	57635-90J01*	year specific	09160-18028	09141-18005
DF90/115/140A '01 - '02 Models	Press-In	58120-90J00	57635-90J01*	57633-90J02	09160-18028	09141-18005
DF90/115/140A '03 - '08 Models	Press-In	58120-90J00	57635-90J01*	57633-90J02	09160-18028	09141-18005
DF115/140A Counter Rotation Models	Press-In	58120-90J00	57635-92J01*	year specific	09160-18028	09141-18005
DF150/175/200/200A/225/250/250AP/300/300AP	Press-In	58105-93J00	57632-93J11	57633-87D30	09160-18028	09141-18005
DF250SS	Press-In	58105-93J10	57632-93J21	57633-87D30	09160-18028	09141-18005

*Uses Spacer For Stopper, 57632-90J00

DF40A/60A

Material	Blades	Diameter	Pitch	Part Number	'99 - Current
Aluminum	3	11-1/2	9	58100-88L03-019	■
Aluminum	3	11-1/2	10	58100-88L13-019	■
Aluminum	3	11-1/2	11	58100-88L23-019	■
Aluminum	3	11-5/8	12	58100-88LA0-019	■
Aluminum	3	11-1/2	13	58100-88LB0-019	■
Aluminum	3	11-3/8	14	58100-88L52-019	■
Aluminum	3	11-1/4	15	58100-88L62-019	■
Aluminum	3	11-1/8	16	58100-88L72-019	■
Aluminum	3	11	17	58100-88L83-019	■
Stainless Steel	3	11-3/4	10	990C0-00600-10P	■
Stainless Steel	3	11-3/4	11	990C0-00600-11P	■
Stainless Steel	3	11-3/4	12	990C0-00600-12P	■
Stainless Steel	3	11-3/4	13	990C0-00600-13P	■
Stainless Steel	3	11-3/4	14	990C0-00600-14P	■
Stainless Steel	3	11-3/4	15	990C0-00600-15P	■
Stainless Steel	3	11-3/4	16	990C0-00600-16P	■
Stainless Steel	3	11-3/4	17	990C0-00600-17P	■

Diameter and pitch are measured in inches. ■=Optional.

DF50AV/60AV/70A/90A/115/115A/140/140A

Material	Blades	Diameter	Pitch	Part Number	'99 - Current
Aluminum	3	14	9	990C0-00750-09P	■
Aluminum	3	14	11	990C0-00750-11P	■
Aluminum	3	14	13	990C0-00750-13P	■
Aluminum	3	13-7/8	15	990C0-00750-15P	■
Aluminum	3	13-3/4	17	990C0-00750-17P	■
Aluminum	3	13-3/4	19	990C0-00750-19P	■
Aluminum	3	13-3/4	21	990C0-00750-21P	■
Aluminum	3	13-3/4	23	58100-87LF0-019	■
Aluminum	3	13-1/2	15	990C0-00760-15P	■
Aluminum	3	14	17	990C0-00760-17P	■
Aluminum	3	14	19	990C0-00760-19P	■
Aluminum	3	14	21	990C0-00760-21P	■
Aluminum	3	14	23	990C0-00760-23P	■
Stainless Steel	3	14	15	990C0-00610-15P	■
Stainless Steel	3	14	16	990C0-00610-16P	■
Stainless Steel	3	14	17	990C0-00610-17P	■
Stainless Steel	3	14	18	990C0-00610-18P	■
Stainless Steel	3	14	19	990C0-00610-19P	■
Stainless Steel	3	14	20	990C0-00610-20P	■
Stainless Steel	3	14	21	990C0-00610-21P	■
Stainless Steel	3	14	22	990C0-00610-22P	■
Stainless Steel	3	14	23	990C0-00610-23P	■
Stainless Steel	3	14	24	990C0-00610-24P	■
Stainless Steel	3	14	25	990C0-00610-25P	■
Stainless Steel	3	14	26	990C0-00610-26P	■

Diameter and pitch are measured in inches. ■=Optional.

Counter Rotation 610 Series Propellers for DF50AV/60AV/70A/90A/115/115A/140/140A

Material	Blades	Diameter	Pitch	Part Number	'09 - Current
Stainless Steel	3	14	15	990C0-0061L-15P	■
Stainless Steel	3	14	16	990C0-0061L-16P	■
Stainless Steel	3	14	17	990C0-0061L-17P	■
Stainless Steel	3	14	18	990C0-0061L-18P	■
Stainless Steel	3	14	19	990C0-0061L-19P	■
Stainless Steel	3	14	20	990C0-0061L-20P	■
Stainless Steel	3	14	21	990C0-0061L-21P	■
Stainless Steel	3	14	22	990C0-0061L-22P	■
Stainless Steel	3	14	23	990C0-0061L-23P	■
Stainless Steel	3	14	24	990C0-0061L-24P	■

Diameter and pitch are measured in inches. ■=Optional.

Suzuki Watergrip® Propellers for DF150/150AP/175/175AP/200/200A/200AP/300A

Material	Blades	Diameter	Pitch	Part Number	DF150 - 300AP
Stainless Steel	3	16	17	990C0-00810-17P	■
Stainless Steel	3	16	18-1/2	990C0-00810-185	■
Stainless Steel	3	16	20	990C0-00810-20P	■
Stainless Steel	3	16	21-1/2	990C0-00810-215	■
Stainless Steel	3	16	23	990C0-00810-23P	■
Stainless Steel	3	16	24-1/2	990C0-00810-245	■
Stainless Steel	3	16	26	990C0-00810-26P	■
Stainless Steel	3	16	27-1/2	990C0-00810-275	■
Stainless Steel	3	15-1/2	17	990C0-00840-17P	■
Stainless Steel	3	15-1/4	19	990C0-00840-19P	■
Stainless Steel	3	15	21	990C0-00840-21P	■
Stainless Steel	3	14-3/4	23	990C0-00840-23P	■
Stainless Steel	3	14-1/2	25	990C0-00840-25P	■
Stainless Steel	3	14-1/2	27	990C0-00840-27P	■
Stainless Steel	4	15-1/4	20	990C0-00510-20P	■
Stainless Steel	4	15-1/4	22	990C0-00510-22P	■
Stainless Steel	4	15-1/4	24	990C0-00510-24P	■
Stainless Steel	4	15-1/4	26	990C0-00510-26P	■

Diameter and pitch are measured in inches. ■=Optional.

Suzuki Watergrip® Counter Rotation Propellers for DF150/150AP/175/175AP/200/200A/200AP/300A

Material	Blades	Diameter	Pitch	Part Number	DF150 - 300AP
Stainless Steel	3	16	17	990C0-0081L-17P	■
Stainless Steel	3	16	18-1/2	990C0-0081L-185	■
Stainless Steel	3	16	20	990C0-0081L-20P	■
Stainless Steel	3	16	21-1/2	990C0-0081L-215	■
Stainless Steel	3	16	23	990C0-0081L-23P	■
Stainless Steel	3	16	24-1/2	990C0-0081L-245	■
Stainless Steel	3	16	26	990C0-0081L-26P	■
Stainless Steel	3	15-1/2	17	990C0-0084L-17P	■
Stainless Steel	3	15-1/4	19	990C0-0084L-19P	■
Stainless Steel	3	15	21	990C0-0084L-21P	■
Stainless Steel	3	14-3/4	23	990C0-0084L-23P	■
Stainless Steel	3	14-1/2	25	990C0-0084L-25P	■
Stainless Steel	3	14-1/2	27	990C0-0084L-27P	■
Stainless Steel	4	15-1/4	20	990C0-0051L-20P	■
Stainless Steel	4	15-1/4	22	990C0-0051L-22P	■
Stainless Steel	4	15-1/4	24	990C0-0051L-24P	■
Stainless Steel	4	15-1/4	26	990C0-0051L-26P	■

Diameter and pitch are measured in inches. ■=Optional.

DF250SS

Material	Blades	Diameter	Pitch	Part Number	DF250SS
Stainless Steel	4	14 1/4	17	990C0-00622-17P	■
Stainless Steel	4	14-1/4	18	990C0-00622-18P	■
Stainless Steel	4	14-1/4	19	990C0-00622-19P	■
Stainless Steel	4	14-1/4	20	990C0-00622-20P	■
Stainless Steel	4	14-1/4	21	990C0-00622-21P	■
Stainless Steel	4	14-1/4	22	990C0-00622-22P	■
Stainless Steel	4	14-1/4	23	990C0-00622-23P	■
Stainless Steel	4	14-1/4	24	990C0-00622-24P	■
Stainless Steel	4	14-1/4	25	990C0-00622-25P	■
Stainless Steel	4	14-1/4	26	990C0-00622-26P	■
Stainless Steel	4	14-1/4	27	990C0-00622-27P	■
Stainless Steel	4	14-1/4	28	990C0-00622-28P	■
Stainless Steel	4	14-1/2	26	990C0-00630-26P	■
Stainless Steel	4	14-1/2	27	990C0-00630-27P	■
Stainless Steel	4	14-1/2	28	990C0-00630-28P	■
Stainless Steel	4	14-1/2	29	990C0-00630-29P	■
Stainless Steel	4	14-1/2	30	990C0-00630-30P	■

Diameter and pitch are measured in inches. ■=Optional.


All 622 and 630 Series Propellers Require the 57632-93L10 and 57633-93L00 Stopper and Spacer, must purchase separately. Recommended for High Performance Applications Only.

DF300B AND DF350A PROPELLERS AND TOOLS A REVOLUTION IN INNOVATION




Development of Suzuki's First Contra-Rotating Propeller

After years of outboard design, Suzuki engineers knew that the shape of the lower unit and the design of the propeller would have a critical impact on performance. The increased power of the new engine required more powerful gears, and more powerful gears were typically larger. After considering alternatives, an innovative idea was proposed: design a contra-rotating dual propeller system. The contra-rotating propeller would certainly provide more "grip" underwater, and because contra-rotating propellers distribute the engine torque evenly over the two propellers, the torque per propeller decreases and gear diameter can be reduced. A reduction in gear diameter could then lead to the design of a smaller, more hydrodynamic gear case.



DF300B/350A PROPELLERS AND TOOLS



DF300B/DF350A Propellers

Material	Blades	Diameter	Pitch	Part Number	Description	T-current
Stainless Steel	3	15-1/2"	12	990C0-0091R-12P	Rear Propeller	■
Stainless Steel	3	15-1/2"	15	990C0-0091R-15P	Rear Propeller	■
Stainless Steel	3	15-1/2"	16.5	990C0-0091R-165	Rear Propeller	■
Stainless Steel	3	15-1/2"	18	990C0-0091R-18P	Rear Propeller	■
Stainless Steel	3	15-1/2"	19.5	990C0-0091R-195	Rear Propeller	■
Stainless Steel	3	15-1/2"	21.0	990C0-0091R-21P	Rear Propeller	■
Stainless Steel	3	15-1/2"	22.5	990C0-0091R-225	Rear Propeller	■
Stainless Steel	3	15-1/2"	24.0	990C0-0091R-24P	Rear Propeller	■
Stainless Steel	3	15-1/2"	25.5	990C0-0091R-255	Rear Propeller	■
Stainless Steel	3	15-1/2"	27.0	990C0-0091R-27P	Rear Propeller	■
Stainless Steel	3	15-1/2"	28.5	990C0-0091R-285	Rear Propeller	■
Stainless Steel	3	15-1/2"	30.0	990C0-0091R-30P	Rear Propeller	■
Stainless Steel	3	15-1/2"	31.5	990C0-0091R-315	Rear Propeller	■
Stainless Steel	3	15-1/2"	12	990C0-0090F-12P	Front Propeller	■
Stainless Steel	3	15-1/2"	15	990C0-0090F-15P	Front Propeller	■
Stainless Steel	3	15-1/2"	16.5	990C0-0090F-165	Front Propeller	■
Stainless Steel	3	15-1/2"	18	990C0-0090F-18P	Front Propeller	■
Stainless Steel	3	15-1/2"	19.5	990C0-0090F-195	Front Propeller	■
Stainless Steel	3	15-1/2"	21.0	990C0-0090F-21P	Front Propeller	■
Stainless Steel	3	15-1/2"	22.5	990C0-0090F-225	Front Propeller	■
Stainless Steel	3	15-1/2"	24.0	990C0-0090F-24P	Front Propeller	■
Stainless Steel	3	15-1/2"	25.0	990C0-0090F-255	Front Propeller	■
Stainless Steel	3	15-1/2"	27.0	990C0-0090F-27P	Front Propeller	■
Stainless Steel	3	15-1/2"	28.5	990C0-0090F-285	Front Propeller	■
Stainless Steel	3	15-1/2"	30.0	990C0-0090F-30P	Front Propeller	■
Stainless Steel	3	15-1/2"	31.5	990C0-0090F-315	Front Propeller	■

DF300B/350A Propeller Removal Tool

99924-29810-LPT Prop Tool



REPAIR KITS & ANODES



Water Pump Repair Kit

FOUR STROKE

Material	Blades	Diameter
17400-98661	DF4/6	'02 - '10
	DF4/6	'11 - Current
17400-99J01	DF9.9A	'10 - Current
17400-94J00	DF9.9/15	'07 - Current
17400-93951	DF9.9/9.9B/15/15A/20A	'97 - '06
17400-96353	DF25/30	'00 - '07
	DF40/50	'99 - '10
17400-94L00	DF25A/30A	'14 - Current
17400-95J02	DF25 V-Twin	'06 - Current
17400-99E01	DF60/70	'07 - '10
17400-87E04	DF60/70	'98 - '06
17400-88L00	DF40A/50A/60A	'10 - Current
17400-99E10	DF60AVT	9-1/4
17400-87L01	DF70A/80A/90A	'09 - Current
17400-92J00	DF90/115/140	'06 - '08
17400-90J20	DF90/115/140	'01 - '05
17400-92J21	DF115/115A/140A/150AP/175AP	'09 - Current
17400-96J02	DF150/150G/150AP/175G/175AP/DF200A/200AP	'06 - Current
17400-93J02	DF200/225/250 (V6)	'04 - Current
17400-98J01	DF250SS	'08 - Current
17400-98L00	DF250AP/300/300A	'07 - Current
	DF300B/DF350A	All Models

Gear Case Seal Kit

Material	Blades	Diameter
25700-95D01	DF25/30 (except V-Twin)	
25700-95J00	DF25 V-Twin	All
25700-88L00	DT40C/DF40/50/40A/50A/60A	All
25700-87E00	DF60/70 and V4 Models	'89 - '00
25700-99E00	DF60/70	'01 - '10
25700-87L00	DF70A/90A	'09 - Current
25700-90J01	DF90/115	All
25700-92J00	DF140	All
25700-93J00	DF150/175/200/225/250	All
25700-98J00	DF250SS/300	All
25700-93L01	DF250AP/300AP	All
25700-98L01	DF350A	All
25700-95D01	DT25C/30C	All
25700-94700	DT55/65	All
25700-95501	DT75/85	All
25700-94500	DT115/140	All
25700-87D00	V6, 2-Stroke Models	'89 - '03



Carburetor Repair Kit

Material	Blades	Diameter
13910-89J01	DF25/30 (except V-Twin)	All
13910-95D00	DT25/30C	All
13910-94400	DT40/65/85/140	All
13910-94701	DT55/75/115	All
13910-87D00	V6, 2-Stroke Models	All

TWO STROKE

17400-98652	DT4	'84 - '98
	DT5	'99 - '02
17400-98551	DT6	'84 - '02
	DT8	'86 - '97
17400-92D01	DT9.9	'85 - '87
	DT15C	'89 - '97
17400-96353	DT15	'83 - '88
	DT20	'88 - '97
17400-96403	DT25	'88 - '97
	DT30C	'88 - '97
17400-94701	DT20	'86 - '88
	DT25	'84 - '88
17400-95351	DT35/40C	'83 - '98
	DT30	'84 - '87
17400-94611	DT35/40C	'85 - '97
	DT30	'84 - '87
17400-94553	DT55/65	'85 - '97
	DT75/85	'85 - '00
17400-87D11	DT115/140	'86 - '01
	DT115/140	'83 - '85
17400-94553	V6 2-Stroke Models	'86 - '03

ZINC ANODES FOR SALTWATER USE ONLY



11281-94400 DF60/70 '98 - '01



55321-90L00 DF9.9/15 '97 - '10



55125-90J01 DF90-140 '98 - Current



55125-98J00-OEP DF200/225/250/300 Trim Tab



55125-95500	DF40/50 DF40A/50A/60A	'99 - '10 '10 - Current
--------------------	--------------------------	----------------------------



55125-98J10 DF250SS '08 - Current



55125-93L00-OEP DF250AP/300AP '13 - Current



55125-92J00 DF115/140 '08 - Current



55125-96310	DF25/30 DF25 V-Twin	'00 - '10 '06 - Current
--------------------	------------------------	----------------------------

55300-95500	DF9.9/15	'04 - '10
		'96 - '03
	DF40/50	'99 - '10
	DF40A/50A/60A	'10 - Current



55321-90J01 DF60-140 '98 - '08



55320-95311	DF25 /30	'00 - '07
	DF40/50	'99 - '08
	DF40A/50A/60A	'10 - Current
	DF60/70	'01 - '08
	DF150/175	'06 - Current
	DF200/225/250/300	'04 - Current



55320-94900 DF60 thru 300 '01 - '10



55321-93900 DF9.9/15 '97 - '08

MAGNESIUM ANODES FOR FRESHWATER USE ONLY



55321-87J11

DF8A/9.9A	'10 - Current
DF25 V-Twin	'06 - Current
DF40A/50A/60A	'10 - Current
DF70A/90A	'09 - Current
DF90/115	'01 - '08
DF115	'09 - Current
DF140	'02 - Current
DF150/175	'06 - Current
DF200/225/250	'04 - Current
DF300	'07 - Current



55321-93J01* DF300B/DF350A All models

*Also requires P/N 09116-06236 (Bolt)

ALUMINUM ANODES FOR BRACKISH AND/OR SALTWATER



55321-87J01 All Models All Years



55321-94910

DF60 thru 140	'01 - '10
DF150/175/200/ 225/250/300	'06 - Current



The Number One Engine Oil for Suzuki Owners or any boat owner that cares about performance and protection.

ECSTAR Suzuki Genuine Semi-Synthetic Engine Oil is scientifically formulated by Suzuki to provide the Ultimate 4-Stroke Outboard with the protection it needs to run long and strong in the harsh marine environment.

- Special Additives Help Protect Engines in Both Salt and Fresh Water Environments
- Advanced Detergents Keep Engine Parts Clean
- Viscosity Index Improvers Help Engines Start Easily in Cold Conditions

ECSTAR Suzuki Semi-Synthetic Marine Engine Oil exceeds NMMA FC-W requirements.

Suzuki Powers Dean Rojas to First Place and a \$100,000 Payday with a Championship Win

Major League Fishing (MLF) - Bass Pro Tour - Stage Five on Smith Lake, Alabama.

Dean fishes out of a 21' Blazer bass boat powered by a Suzuki DF250SS and Ecstar Suzuki Genuine Oil. This combination of speed, power and reliability keeps Dean out in front of the competition and fully focused on what matters most- catching fish.





ECSTAR OILS AND CHEMICALS



ECSTAR Marine 4-Cycle Engine Oil

Ecstar V7000 Semi-Synthetic Oil is specifically formulated for The Ultimate 4-Stroke Outboard. Premium mineral oils and synthetic lubricants, with an additive profile designed to stand up to harsh conditions on the water. FC-W Certified. See chart for recommended oil filter and capacities.

990C0-01E30-QUA	1 QT. Bottle	12/Case
990C0-01E30-GLN	1 GL Bottle	4/Case
990C0-01E30-DRU	55 Gallon Drum	

Dealers: Engine Oil must be ordered separately from all Parts and Accessories. See Suzuki Connect for instructions.



Gear Lube Pump

The Gear Lube Pump is developed to make changing the gear case oil in your lower units a whole lot easier. The pump is specially designed to fit and function with our Hypoid Gear Oil bottles and Suzuki outboard lower units.

990C0-99001



Gear Oil Capacity

Model	Gear Case Oil Capacity (cc)	Gear Case Oil Capacity (oz)
DF4/6	190 ml.	6.4 oz.
DF9.9/15	175 ml.	5.9 oz.
DT9.9/15/15C	170 ml.	5.7 oz.
DF25/30	230 ml.	7.8 oz.
DF25V-Twin	420 ml.	14.2 oz.
DF40A/50A/60A/40/50	610 ml.	20.6 oz.
DF60/70	1050 ml.	35.5 oz.
DF70A/90A	850 ml.	28.7 oz.
DF90/115/140	1050 ml.	35.5 oz.
DF150/175/200/225/250/250S	1100 ml.	37.2 oz.
DF300	1100 ml.	37.2 oz.
DF300B/350A	3218 ml.	108.8 oz.
DT2/2.2 (Short Shaft)	70 ml.	2.4 oz.
DT2/2.2 (Long Shaft)	120 ml.	4.0 oz.
DT3.5	85 ml.	2.9 oz.
DT4	190 ml.	6.4 oz.
DT5/6/8	240 ml.	11.5 oz.
DT8C/9.9C/9.9CN	175 ml.	5.9 oz.
DT20/25/30/30C/35C	230 ml.	7.8 oz.
DT40	610 ml.	20.6 oz.
DT50/55/60/65	650 ml.	22.0 oz.
DT75/85	700 ml.	23.7 oz.
DT90/100	560 ml.	18.9 oz.
DT115/140	1100 ml.	37.2 oz.
DT150/175/200/225	1050 ml.	35.5 oz.

Hypoid Gear Oil

Hypoid Gear Oil is formulated to Suzuki specifications. Available in two convenient sizes: 1 quart bottle and 5 gallon bucket. See chart for recommended gear oil capacities.

990AO-01E81-01Q	1 Quart	12/Case
990AO-01E81-05G	5 Gallon Bucket	



Fuel Conditioner & Water Remover

Fuel Conditioner keeps stored fuel fresh for long periods of time.

990A0-02E30-12Z 12 Fluid oz. Bottle 12/Case



Spray Cleaner & Polish

Suzuki Spray Cleaner & Polish is the ultimate "detailer in a can". It cleans dirt, road contaminants, bugs, water spots and shipping preservatives without water, leaving a "showroom shine" that helps to protect against UV damage, ozone and dirt accumulation. *Not for Matte Black Finish on SS Models.

990A0-04E06-14Z 14 Fluid oz. 12/Case



Performance Low VOC Brake Cleaner

Blasts away brake fluid, dirt and contaminants quickly and easily with no residue. Helps stop annoying brake squeal and chatter. Cleans disc and drum assemblies, including springs, rotors and pads. Also works great on your boat trailer!

990A0-04E15-14Z 14 oz. Can 12/Case



Bond 1207B

1207B is used for sealing crankcases due to its outstanding resistance to heat and oil.

990A0-06E70-03Z 3.5 oz. Tube



Fuel Injector Cleaner

Suzuki Fuel Injector Cleaner keeps injectors clean and corrosion-free for maximum power. Dissolves gum and varnish.

990A0-02E25-12Z 12 Fluid oz. Bottle 12/Case



Thread Locks

Prevents nuts and bolts from vibrating loose. Made with the same compounds used to assemble Suzuki Products at the factory. Four strengths for different applications. Easy to use and store in individual 10cc containers with different colors for quick identification.

990A0-06E33-10C	1333B Medium Strength Bearing and Stud Lock
990A0-06E03-10C	1303 High Strength Retaining Type
990A0-06E42-10C	1342 Low Strength Frequent Repair
990A0-06E60-10C	1360 Medium Strength High Temperature Type

MAINTENANCE AND CARE





Marine Maintenance Kits

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service. We are offering 12 individual kits that are application-specific for each engine category.

Models	Part Number	Year
DF2.5	17400-97820	2006 – 2011
DF2.5	17400-97810	2012 – Current
DF4A/6A	17400-91890	2017 – Current
DF4/6	17400-91860	2002 – 2010
DF4/6	17400-91830	2011 – 2016
DF9.9A	17400-99840	2010 – Current
DF9.9/15	17400-94810	2011 – 2013
DF9.9B/15A/20A	17400-89810	2013 – Current
DF25/30	17400-89820	2001 – 2010
DF25 V-Twin	17400-95870	2006 – Current
DF25A/30A	17400-94820	2015 – Current
DF40/50	17400-87820	Late 2006 – 2010
DF40A/50A/60A	17400-88810	2010 – Current
DF60	17400-99850	Late 2009 Only
DF50AV/60AV	17400-88820	2014 Current
DF60/70	17400-99860	2008 – Early 2009
DF60/70	17400-99870	2007 Only
DF70A/80A/90A	17400-87810	2009 – Current
DF115	17400-92840	2010 – 2012
DF115A/140A/115SS	17400-92821	2013 – Current
DF140	17400-92850	2010 – 2012
DF150/175/150SS	17400-96822	2006 – Current
DF150A/175A/200A	17400-96830	2016 – Current
DF200/225/250 – V6	17400-93852	2011 – Current
DF250AP/300A/300AP/250SS	17400-98862	2011 – Current
DF300B/DF350A	17400-98870	2017 – Current
Kit Contents*	Oil Filter	12/Case
	Spark Plugs	12/Case
	Water Pump Kit	12/Case
	Fuel Filter	12/Case
	Water Pump Case Sleeve	12/Case
	Anodes	12/Case
	Cotter Pin	12/Case
	Gaskets	12/Case
	O-Ring	12/Case

*Kit contents will vary slightly depending on the application.

Oil Filters And Capacities

Suzuki Genuine Parts & Accessories is excited to introduce our new Marine Maintenance Kits. These all inclusive kits contain everything necessary for performing the recommended service. We are offering 12 individual kits that are application-specific for each engine category.

Models	Filter Part Number	Oil Capacity w/out Filter L/QT	Oil Capacity w/Filter L/QT
DF9.9/15 '96 – '10	16510-05240*	1.0/1.1	1.1/1.2
DF9.9T/9.9TH/9.9B/15/15A/20A '11 ~ Current	16510-45H10	1.0/1.1	1.1/1.2
DF9.9A	16510-05240	.8/.85	.9/.95
DF25/30	16510-87J00	1.5/1.6	1.6/1.7
DF25V-Twin	16510-87J00	1.5/1.6	1.8/1.9
DF25A/30A	16510-87J00	3.0/3.2	3.2/3.4
DF40/50	16510-87J00	2.2/2.3	2.4/2.5
DF60/70	16510-87J00	4.5/4.8	4.8/5.1
DF40A/50A/60A	16510-87J00	2.7/3.0	2.9/3.2
DF70A/90A '09 – '10	16510-61A21-MHL	4.2/4.0	4.4/4.7
DF70A/90A '11 ~ Current	16510-61A31	4.2/4.0	4.4/4.7
DF90/115	16510-61A21-MHL	5.5/5.8	5.7/6.0
DF115A/140A	16510-61A31	5.5/5.8	5.7/6.0
DF140	16510-82703	5.5/5.8	5.7/6.0
DF150/175/200A	16510-96J10	8.0/8.5	8.5/9.0
DF200/225/250 ~ '07	16510-96J10	8.0/8.5	8.2/8.7
DF200/225/250/300	16510-96J10	8.0/8.5	8.2/8.7
DF300B/350A	16510-96J10	7.8/8.2	8.0/8.5

Recommended Oil Change Periods

1st 20 hours	Every 100 hours	Every 200 hours
Oil & Filter	Oil	Oil & Filters

Oil Change Necessities

Models	Drain Plug	Drain Plug/Gasket
DF2.5	09248-10008	09168-10022
DF4/6	09248-10008	09168-10022
DF9.9A	09248-12009	09168-12017
DF9.9B/15A/20A	09248-12009	09168-12017
DF25/30	09248-12009	09168-12012
DF25 V-Twin	09248-12009	09168-12012
DF25A/30A	09248-12009	09168-12017
DF40A/50A/60A	09248-12009	09168-12012
DF70A/90A	09248-12009	09168-12012
DF90/115/115A/140/140A	09248-12009	09168-12012
DF150/175/200A	09248-12009	09168-12012
V6 Models (Includes DF300B/350A)	09248-12009	09168-12012

Bulk Oil Filters

All Bulk Packs contain 24 oil filters. They are not individually wrapped. Only meant for service departments, not resale.

Bulk Pack Part Number	Oil Filter Part Number
16510-61831-B24	16510-61A31
16510-82803-B24	16510-82703
16510-87800-B24	16510-87J00
16510-96800-B24	16510-96J10
16510-96801-B24	



MAINTENANCE AND CARE



Flush Hose Attachment

See Owners Manual or Service Manual on how to use the flush attachments.

55181-95200

All 2-Stroke Models
DF4 thru DF15 4 Stroke Models



Suzuki Super Grease

Multi-purpose, lithium grease is heat and water resistant, anti-wear.

99000-25480



Water Resistant Grease

Use on oil seal lips, links and joints of the engine that are below the waterline.

99000-25350

8.8 oz. Tube



Silicone Seal

A clear adhesive sealer with a silicone base.

93691-80030

3.5 oz. Tube

Spark Plugs

Models	Part Number	Spark Plug
DF2.5	09482-00406	CR6HSA
DF4/6 - '03 - '10	09482-00299	BPR6ES
DF4/6 - '11	09482-00L04	CR6EEA-9
DF9.9A	09482-00528	CR6E
DF9.9/15 - up to '04	09482-00446	DCPR6E
DF9.9/15 - '04-'10	09482-00427	BKR6E
DF9.9/15 - '11	09482-00L04	CPR6EA-9

Models	Part Number	Spark Plug
DF25A/30A	09482-00446	DCPR6E
DF25 V-TWIN	09482-00427	BKR6E
DF40/50	09482-00446	DCPR6E
DF60/70	09482-00299	BPR6ES
DF40A/50A/60A	09482-00446	DCPR6E
DF70A/90A	09482-00446	DCPR6E
DF90/115/115A/140/140A	09482-00427	BKR6E
DF150/175	09482-00427	BKR6E
DF200A/200AP	09482-00649	LKR6E
DF200/225/250	09482-00427	BKR6E
DF250SS	09482-00427	BKR6E
DF300A	09482-00427	BKR6E
DF300B/DF350A	09482-00642	ILZKR7D8

Drain Plug Sealing Gaskets

Models	Part Number
59178-97J00	25/30A
09168-10022	40-140A (excluding 70/90)
09168-10034	70/90A, 150-350



Touch-Up Paint

If you need touch-up paint for your outboard, please visit www.colorrite.com.

Outboard	Code
Shadow Black Metallic	OEP
Nebular Black	YAY
Cool White Outboards	Y5S
2 Stroke Charcoal	OED
Warm Silver (DF350A)	20H
Metallic Matte Black	YKV

ENGINE COVERS



Engine Covers

Custom-fit Engine Covers feature Sunbrella® UV resistant, water-repellent fabric and silk screened Suzuki graphics.

990C0-65012	DF2.5
990C0-65013	DF4A/6A
990C0-65014	DF9.9A/9.9B/15A/20A
990C0-65009	DF25A/30A
990C0-65015	DF40A/50A/60A
990C0-65001	DF40/50
990C0-65016	DF70A/90A
990C0-65010	DF115A/140A
990C0-65004	DF140
990C0-65006	DF150/175
990C0-65005	DF225/250
990C0-65011	DF150A/175A/200A
990C0-65008	DF250AP/300/300AP
990C0-65017	DF300B/350A





Splash Covers

Suzuki vented Splash Covers are custom made, tight-fitting covers that are designed to protect the outboard engine cowlings and decals from sun, spray, salt, birds, errant fish hooks, and anything else that can compromise the factory finish while the engine is running. The Polysoft II fabric is a breathable, marine grade fabric that is 95% waterproof and 5% breathable which ensures that moisture will not be trapped under the cover. This 100% woven polyester fabric is UV stabilized to resist fading and rotting. The soft non-woven lining will not scuff or damage your cowling when installed. Splash Covers are easy to clean and will be sure to turn heads! Please note: all engine covers 150hp and up will have gray graphics, while all engine covers 140hp and below (including DF4/6 carry bag) will have red graphics.

Gray Graphics-Black Cover

990C0-66000-BLK	DF150SS/150/175
990C0-66001-BLK	DF225/250 - V6
990C0-66002-BLK	DF150A/175A/200SS/200A
990C0-66003-BLK	DF250AP/300AP
990C0-66005-BLK	DF300B
990C0-66004-BLK	DF350A

Gray Graphics-White Cover

990C0-66005-WHT	DF300B
990C0-66004-WHT	DF350A

Red Graphics-Black Cover

990C0-67000-BLK	Carry bag for DF4A/6A
990C0-67001-BLK	DF90/115
990C0-67002-BLK	DF115SS/115A/140A
990C0-67003-BLK	DF140

MARINE STYLE



SUZUKI APPAREL LINEUP



CASUAL BOATING APPAREL

MARINE STYLE



New Huk Co-Branded Apparel



Men's Packable Rain Jacket

Huk 100% Water proof 100% wind proof quick drying breathability

990CO-15000-	Black XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	--



Men's Black 1/4 Zip Pullover-Fleece

Huk Designed with anti-microbial treatment that inhibits and kills the growth of odor causing microorganisms

990CO-15001-	Black XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	--



Men's Black Polo

Huk Performance Polo 90% Polyester 10% spandex

990CO-18000-	Black XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	--



Men's White/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 90% polyester 10% spandex

990CO-16100-	White/Gray XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	---



Men's Black/Gray Lowpro Raglan Long Sleeve

Huk Long Sleeve performance fabric sun blocking +30 UPF, 90% polyester 10% spandex

990CO-16101-	Black/Gray XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	---



Men's Black Next Level Shorts

Huk performance shorts anti-microbial sun protection breathability 55% cotton 35% polyester and 10% spandex

990CO-11000-	Black SML, MED, LRG, 1XL, 2XL, 3XL
--------------	---------------------------------------



Women's Black Icon Long Sleeve Hoodie

Huk Long Sleeve Hoodie I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

990CO-13000-	Black XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	--



Women's Black Icon Long Sleeve

Huk Long Sleeve I.C.E. Technology anti-microbial sun blocking +30 UPF, 100% polyester

990CO-16102-	Black XSM, SML, MED, LRG, 1XL, 2XL, 3XL
--------------	--



Black Trucker Hat

Huk mesh snap-back trucker cap

990CO-17200	Black One Size Fits Most
-------------	-----------------------------



White Trucker Hat

Huk mesh snap-back trucker cap

990CO-17201	White One Size Fits Most
-------------	-----------------------------



Suzuki Marine Stretch-Fit Visor

The Stretch-Fit Visor is draped in Suzuki colors and features embroidered logos. This one-size fit most visor has an elastic band. Order in quantities of 3.

990C0-17005

White/Black

S/M Stretch



3D Red "S" Gradation Cap

Flex-Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107

Black/Red Logo

One Size Fits Most



Vintage Trucker

The Suzuki Vintage Snap-back Hat features a black snap-back hat with the vintage Suzuki logo screen printed on the front panel. Order in quantities of 3.

990A0-17150

One Size Fits Most



Suzuki Mark Trucker

The Suzuki Mark Snap-back Hat features a grey snap-back hat with a black bill, with a black Suzuki "S" patch sewn on the front panel. Order in quantities of 3.

990A0-17151

One Size Fits Most



Suzuki Sideways Hat

3-D Embroidered Suzuki Logo. Order in quantities of 3.

990A0-17138

Suzuki Sideways Hat

One Size Fits Most



3D Red "S" Gradation Cap

Flex-Fit X-Cap with 3D Red "S" Logo. Order in quantities of 3.

990A0-17107

Black/Red Logo

One Size Fits Most



3D Blue "S" Gradation Cap

Flex-Fit X-Cap with 3D Blue "S" Logo. Order in quantities of 3.

990A0-17108

Black/Blue Logo

One Size Fits Most



Women's Suzuki Icon Tee

Womens domain 60% cotton 40% poly 4 oz. combed ring-spun screen printed front.

990A0-16257-

Royal Blue

SML, MED, LRG, 1XL



Women's Suzuki Stripes Tee

Women's crew t-shirt 60% Cotton 40% poly 4.3 oz combed ring-spun screen printed front and sleeve.

990A0-16256-

Royal Blue

SML, MED, LRG, 1XL



Ladies '86

100% Cotton. Tagless neck label. Screen-print on front.

990A0-16224-

Gray

SML, MED, LRG, 1XL, 2XL



Women's Suzuki Hoodie

Womens hooded sweatshirt 60% cotton 40% poly 6.5oz lightweight fleece screen printed graphics.

990A0-15074-

Aquamarine

SML, MED, LRG, 1XL

MARINE STYLE



Pro Fishing Marlin Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

990CO-16011—	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL
990CO-16004—	Blue Long Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL

Pro Fishing Bass Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

990CO-16015—	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL
990CO-16006—	Gray Long Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL



Suzuki Logo Tee

100% Ringspun Cotton. Screen-printed logo on front.

990A0-16242- __	Blue
	SML, MED, LRG, 1XL, 2XL

990A0-16243- __	Black
	SML, MED, LRG, 1XL, 2XL

Pro Fishing Marlin Short and Long Sleeves

4.5-ounce, 50/25/25 poly/combed ring spun combed cotton/rayon, standard fit T-Shirt.

990C0-16001- __	Gray Short Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL
990C0-16004- __	Blue Long Sleeve
	SML, MED, LRG, 1XL, 2XL, 3XL



Suzuki Ecstar Polo

3.8 oz polyester tricot, snag resistant, moisture wicking, tag free label. Features and embroidered Suzuki logo on left chest and ECSTAR logo on the left sleeve.

990A0-18127- __	Men's Black	SML, MED, LRG, 1XL, 2XL, 3XL
990A0-18128- __	Men's Blue	SML, MED, LRG, 1XL, 2XL, 3XL
990A0-18129- __	Men's Gray	SML, MED, LRG, 1XL, 2XL, 3XL
990A0-18130- __	Women's Black	SML, MED, LRG, 1XL
990A0-18131- __	Women's Blue	SML, MED, LRG, 1XL
990A0-18132- __	Women's Gray	SML, MED, LRG, 1XL

MARINE STYLE



Shutter

Suzuki Shutter Premium T-Shirt features screen printed graphics on the chest and back on a navy T-Shirt. Standard fit.

990A0-16245-____	Navy
	MED, LRG, 1XL, 2XL



Suzuki Wedge

Royal/White, Men's 3/4 raglan, 50% poly, 25% cotton, 25% rayon, 4.3 oz, Screen printed front and back

990A0-16290-____	Royal/White
	MED, LRG, 1XL, 2XL



Suzuki Big S

Black Men's crew T-shirt, 100% cotton 6 oz. Jersey, Screen printed front, side and sleeve

990A0-16281-____	Black
	MED, LRG, 1XL, 2XL



Sun

Navy premium soft cotton T-Shirt with graphics screen printed on the front.

990A0-16246-____	Navy
	MED, LRG, 1XL, 2XL



Suzuki Performance Dri-Core Tee

The Suzuki Performance Dri-Core Shirt features moisture wicking performance. The Dri-Core Moisture Control System wicks sweat away to keep you cool, dry and light. Durability and comfort polyester construction. Screen printed logos on left chest.

990A0-16251-____	Black
	MED, LRG, 1XL, 2XL



'S' Bar

The Suzuki S-Bar T-Shirt features a charcoal T-Shirt, with the Suzuki "S" screen printed on the chest. Suzuki logotype is printed on the bottom.

990A0-16247-____	Gray
	MED, LRG, 1XL, 2XL





Suzuki Camo

Camo hooded pullover sweatshirt, 70% cotton 30% poly, 10 oz. heavy weight fleece, screen printed graphics

990A0-15069-

Camo
MED, LRG, 1XL, 2XL



Mechanics Shirts

65% Polyester, 35% Cotton. Features the SUZUKI logo embroidered on the left chest and Suzuki 'S' on right sleeve.

990A0-18112-

Navy

SML, MED, LRG, 1XL, 2XL,
3XL, 4XL

990A0-18113-

Charcoal

SML, MED, LRG, 1XL, 2XL,
3XL, 4XL



Suzuki Light Pullover

Suzuki Light-Weight Pullover Hoodie features heather-grey jersey cotton with Suzuki branding screen printed on the chest.

990A0-15071-

Gray

MED, LRG, 1XL, 2XL

Suzuki Sherpa

Black Sherpa lined hooded zip-up sweatshirt, 80% cotton 20% poly 8.5 oz. Fleece exterior, chest and sleeve patches

990A0-15068-

Black

MED, LRG, 1XL, 2XL

Suzuki Flannel 2.0

Button-up shirt 80% cotton 20% poly 5.4 oz woven flannel button flap pockets, button cuffs, chest label.

990A0-18115-

Nav/Gray

MED, LRG, 1XL, 2XL

MARINE STYLE



Hat Black

100% cotton twill with
polymesh back

990C0-17160 | Black



Beanie Black

100% Acrylic knit.

990C0-17181 | Black



Beanie Gray

100% Acrylic knit.

990C0-17180 | Gray



Suzuki Nested Logo Tee

60% cotton-40% polyester knit blend.

990A0-16265-	Black
	SML, MED, LRG, 1XL, 2XL



Suzuki Center Red "S" Tee

60% cotton-40% polyester knit blend.

990A0-16266-	Gray
	SML, MED, LRG, 1XL, 2XL



Suzuki Team

Royal Men's crew T-shirt, 100% cotton
6 oz. Jersey screen printed front, side
and sleeve

990A0-16280-	Royal
	MED, LRG, 1XL, 2XL



Suzuki Vintage

Black-White, Men's 3/4 raglan shirt,
100% coton, 6 Oz. Jersey, screen
printed front

990A0-16289-	Black/White
	MED, LRG, 1XL, 2XL



Suzuki Soft Shell Jacket

Navy Soft-Shell Jacket, 100% Polyester water resistant, micro fleece lining, scuba hood, media pocket, chest print and sleeve patch

990A0-15101-	Navy MED, LRG, 1XL, 2XL
---------------------	-------------------------------

Suzuki Horizon

Royal Charcoal, hooded pullover sweatshirt, 80% cotton 20% poly 7 oz. Mid-weight fleece, screen printed graphics, contrasting draw-cords

990A0-15107-	Black MED, LRG, 1XL, 2XL
---------------------	--------------------------------

Suzuki Logo

Black hooded pullover sweatshirt, 80% cotton 20% poly, 7 Oz. Mid-weight fleece, screen printed graphics.

990A0-15104-	Black MED, LRG, 1XL, 2XL
---------------------	--------------------------------

Suzuki Sun

Black Hooded Zip Up Sweatshirt, 80% cotton, 20% poly 8.5 oz. Mid-weight fleece, Screen printed graphics.

990A0-15106-	Black MED, LRG, 1XL, 2XL
---------------------	--------------------------------



Sublimated Polo Dark Gray

100% performance knit polyester.

990A0-18134-	Gray SML, MED, LRG, 1XL, 2XL, 3XL
---------------------	--

Logo Polo Black

100% performance knit polyester.

990A0-18135-	Black SML, MED, LRG, 1XL, 2XL, 3XL
---------------------	---

Suzuki UPF Sun Shirt Gray

100% performance knit polyester.

990A0-16267-	Gray SML, MED, LRG, 1XL, 2XL
---------------------	---------------------------------------

Softshell Jacket

100% polyester bonded waterproof shell.

990A0-15100-	Black MED, LRG, 1XL, 2XL
---------------------	--------------------------------

GIFTS AND COLLECTIBLES



Suzuki Key Fobs

Made of flexible rubber, Key Fob features the Suzuki Corporate Logo.
Dealers order in packs of 3.

990A0-19113	Suzuki 'S' Logo
990A0-19112	Suzuki Logo



Suzuki Coffee Mug

This 16 oz Mug features an extra large comfort-grip handle.

990A0-99184



Suzuki Umbrella

Protect yourself from the weather with a Suzuki Umbrella.

990A0-99178



Suzuki Logo Can Koozie

Keep your favorite drink cold in this Suzuki Can Koozie! Sublimated Suzuki Logo resists fading or chipping.

990A0-19206



Suzuki Shelter

Protect yourself and your gear from the elements while outside. These canopies feature durable canvas covers, aluminum frames, and silk screened Suzuki branding. When you're ready to pack it up for the day, simply fold it down and store them in their own canvas carrying case.

990A0-99277



Suzuki Tables

Perfect for any garage or shop, Suzuki branded tables feature chrome plated steel tubing and melamine coated tops.

990A0-96383	Suzuki Logo Table
990A0-99387	Ecstar Logo Table



Suzuki Stools

Dress up your garage or shop with these comfortable padded stools. Each stool is covered in an easy to clean vinyl material and features Suzuki branding and are constructed using chrome plated steel tubing.

990A0-95525	Suzuki Logo Stool
990A0-95529	Ecstar Logo Stool



Garage & Shop Mats

Light and strong 100% olefin carpet pil with non-skid vinyl backing and 1-inch tapered border. 36 inch x 60 inch

990A0-95535	Suzuki Logo Mat
990A0-95539	Ecstar Logo Mat

GIFTS AND COLLECTIBLES



Suzuki OGIO 9800 Gear Bag

Ideal for travel around the country, this Gear Bag has plenty of capacity for your gear and features OGIO's SLED system for strength and durability.

990A0-19075



Suzuki Logo Die-Cut Decals

Thermal die-cut vinyl Official Suzuki Logo available in sizes from 4" to 20". Dealers order in packs of 5.

99950-19245-MED	Suzuki Logo	12"
99950-19245-LRG	Suzuki Logo	20"



Suzuki Merchandise Bags

Available in your choice of paper or plastic with Suzuki graphics in 500 piece packages.

99950-19371	Paper	12" H x 6" W
99950-19372	Plastic	13" H x 12" W



Suzuki String Pennant

50 foot String Pennants are made with a durable 4mm vinyl.

990A0-99303-WHT

50' String Pennant



Vinyl Banners

Suzuki banners are a great way to increase the presence of Suzuki in and outside of your dealership. They are also great for events.

990A0-99301-WHT 4' x 20'

990A0-99302-WHT 3' x 10' Banner



Suzuki Logo Decals

Suzuki Decals are made with durable 15 mil, UV resistant coated vinyl decals. All Decals are sold in QTYs of 1.

990A0-99290-006	6"
990A0-99290-012	12"
990A0-99290-024	24"
990A0-99290-048	48"



"S" Logo Sheet

High quality premium decals are a great way to personalize your belongings.

99000-990AB-S01	Suzuki Logo
99000-990AB-S02	Ecstar Logo

APPLICATION CHART



DF9.9/15 ('96 – Current)



DF4/6 ('03 – Current)

Side Mount Control Box	67200-94J20	
Remote Control Attaching Kit	67130-91J02	
Rectifier Set	32801-91J01	
Water Pump Repair Kit	17400-98661	'03 – '10
	17400-98661	'11 – Current
Battery Charging Kit	32000-91J01	
Receptacle	39600-91J00	
Spark Plug BPR6ES	09482-00299	'03 – '10
CPR6EA-9	09482-00L04	'11 – Current

DF9.9A ('10 – Current)

Side Mount Control Box	67200-91J20	
Remote Control Attaching Kit	67130-99J01*	
Water Pump Repair Kit	17400-99J01	
Electric Starter Set	31000-99J00	
Battery Charging Kit	32000-99J00	
Oil Filter	16510-05240	'10
	16510-45H10	'11 – Current
Drag Link	67701-99J02	
Propeller Hardware Kit	57630-99J00	
Spark Plug CR6E	09482-00528	

*Clamp Bracket Set 41100-99J00-OEP required to install.

Side Mount Control Box	67200-91J20	'05 – Current	
Remote Control Attaching Kit	67130-94J11	'05 – Current	
Remote Control Cables	99105-11002-0XX*	2 req'd	
Harness, Remote Control	36630-89E02***	'96 – '04	
Main Harness	36620-89L00	'05 – Current	
Water Pump Repair Kit	17400-93951	'96 – '06	
	17400-94J00	'07 – Current	
Steering Bracket Attachment	67720-93E00		
Tilt-Tube Attachment	41141-89E00		
Rectifier Set	32800-95D01	'96 – '04	
	32800-94J11	'05 – Current	
Rectifier Regulator	32801-94J01	'05 – Current	
Battery Charging Kit	32000-94J01	'05 – Current	
Optional Lighting Coil Set	32120-93E10	'96 – '04	
Choke Solenoid	38610-93E00	'96 – '04	
Bolts	01550-06167	2 req'd	
Starter Motor Set	31101-95D20-0EP	'96 – '03	
	31100-94J22	'05 – Current	
Stator, 120W	32120-94J10	'06 – Current	
Flywheel, Ring Gear Type	32102-94J10	'05 – Current	
Propeller Hardware Kit	57630-93900		
Drag Link Assembly	67701-93E12	'97 – Current	
Spark Plug DCPR6E	09482-00446	up to '04	
	BKR6E	09482-00427	'04 – Current
	CPR6-EA-9	09482-00L04	'11 – Current
Oil Filter DF9.9/15	16510-05240	'96 – Current	
	DF9.9T/15	16510-45H10	'11 – Current

DF9.9B/15A/20A ('12 – Current)

Side Mount Control Box	67200-94J20	
Single Binnacle Kit	67000-88L01	
Flush Mount Kit	67000-93J28	
Remote Control Attaching Kit	67130-95J02	DF9.9B/15A
Remote Control Cables	67130-89L06	DF20A
Single Binnacle	99105-11002-0XX*	2req'd
Flush Mount	67200-88L00	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Ignition Sw. Panel Assy.	37100-96J00	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Water Pump Repair Kit	17400-94J00	
Drag Link Kit	67700-95J01	
Propeller Hardware Kit	57630-93900	
Spark Plug DCPR6E	09482-00446	'11 – Current



DF25/30 ('06 – Current)

Side Mount Control Box	67200-91J20	
Single Binnacle Kit	67000-88L01	
Flush Mount Kit	67000-93J28	
Remote Control Attaching Kit	67130-95J02	
Remote Control Cables	99105-11002-0XX*	2req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Ignition Sw. Panel Assy.	37100-96J00	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Water Pump Repair Kit	17400-95J02	
Drag Link Kit	67700-95J01	
Propeller Hardware Kit	57630-96300	
Spark Plug BKR6E	09482-00427	



Specific Application Notes:

* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness

APPLICATION CHART



DF70A/90A ('09 – Current)

Side Mount Control Box	67200-93J51**	
Single Binnacle Kit	67000-88L01	
Dual Binnacle Kit	67000-88L11	
Flush Mount Kit	67000-93J28	
Remote Control Cables	99105-11002-0XX*	2 req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Power Trim/Tilt Sw.	37805-93J00	
Ignition Sw. Panel Assy.	37100-96J00	
Dual Ign. Sw. Panel Assy	37100-96J15	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Dual Engine Tie Bar	99105-10006	
Water Pump Repair Kit	17400-87L01	
Tiller Handle Kit	63002-87L06-OEP	'09 – Current
Tiller Handle Kit with Tach	63002-87L15-YAY	
Drag Link Kit	67701-87L01	
Propeller Hardware Kit	57630-90J00	
Spark Plug	DCPR6E	09482-00446

DF40A/50A/50AV/60A/60AV ('10 – Current)

Side Mount Control Box	67200-93J51**	
Single Binnacle Kit	67000-88L01	
Dual Binnacle Kit	67000-88L11	
Flush Mount Kit	67000-93J28	
Remote Control Cables	99105-11002-0XX*	2 req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Power Trim/Tilt Sw.	37805-93J00	
Ignition Sw. Panel Assy.	37100-96J00	
Dual Ign. Sw. Panel Assy	37100-96J15	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Dual Engine Tie Bar	99105-10006	
Steering Tensioner	43770-99E03	
Water Pump Repair Kit	17400-88L00	
Tiller Handle Kit	63002-88L08-OEP	
Tiller Handle Kit with Tach	63002-88L24-YAY	DF40A/50A
	63002-88L14-YAY	DF60A
Drag Link Kit	67701-87J11	
Propeller Hardware Kit	57630-94J01	
	57630-90J00	DF50AV/60AV
Spark Plug	DCPR6E	09482-00446

DF40A/50A/50AV/60A/60AV ('10 – Current)

Side Mount Control Box	67200-93J51**	
Single Binnacle Kit	67000-88L01	
Dual Binnacle Kit	67000-88L11	
Flush Mount Kit	67000-93J28	
Remote Control Cables	99105-11002-0XX*	2 req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Power Trim/Tilt Sw.	37805-93J00	
Ignition Sw. Panel Assy.	37100-96J00	
Dual Ign. Sw. Panel Assy	37100-96J15	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-93J00	'01 – '04
	38500-92X50	'05 – Current
Emergency Stop Assy.	37803-93J05	
Dual Engine Tie Bar	99105-10006	
Water Pump Repair Kit	17400-90J20	'01 – '05
	17400-92J00	'06 – '08
DF115/115A/140A	17400-92J21	'09 – Current
Tiller Handle Kit	63002-90J29-OEP	
Tiller Handle Kit with Tach	63002-90J32-OEP	DF115A
Drag Link Kit	67701-90J01	'01 – '10
Propeller Hardware Kit	57630-90J00	
Spark Plug	BKR6E	09482-00427



DF150A/150SS/175A/200A/200SS

Side Mount Control Box	67200-93J51**	
Single Binnacle Kit	67000-88L01	
Dual Binnacle Kit	67000-88L11	
Flush Mount Kit	67000-93J28	
Remote Control Cables	99105-11002-0XX*	2 req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Power Trim/Tilt Sw.	37805-93J00	
Ignition Sw. Panel Assy.	37100-96J00	
Dual Ign. Sw. Panel Assy.	37100-96J15	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Water Pump Repair Kit	17400-96J02	
Drag Link Kit	67701-96J00	
Propeller Hardware Kit	57630-92E00	
Spark Plug	BKR6E	09482-00427



Specific Application Notes:

* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness

APPLICATION CHART



DF225/250 ('04 – Current)

Side Mount Control Box	67200-93J51**	'04 – Current	Power Trim/Tilt Sw.	37805-93J00	
Single Binnacle Kit	67000-88L01		Ignition Sw. Panel Assy.	37100-96J00	
Dual Binnacle Kit	67000-88L11		Dual Ign. Sw. Panel Assy	37100-96J15	
Flush Mount Kit	67000-93J28		Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Remote Control Cables	99105-11002-0XX*	2 req'd	Warning Buzzer	38500-92X50	
Single Binnacle	67200-88L00		Emergency Stop Assy.	37803-93J05	
Dual Binnacle	67200-88L10	'04 – Current	Water Pump Repair Kit	17400-93J02	'04 – Current
Flush Mount	67200-93J33	'04 – Current	Drag Link Kit	67700-93J00	'04 – Current
Wire Harness 16'	36620-93J52		Propeller Hardware Kit	57630-92E00	'04 – Current
Wire Harness 21'	36620-93J02		Spark Plug	09482-00427	
Wire Harness 26'	36620-93J62		BKR6E		



DF70A/90A ('09 – Current)

DF250SS '08 – Current	67200-93J51**	
Side Mount Control Box	67200-93J51**	
Single Binnacle Kit	67000-88L01	
Dual Binnacle Kit	67000-88L11	
Flush Mount Kit	67000-93J28	
Remote Control Cables	99105-11002-0XX*	2 req'd
Single Binnacle	67200-88L00	
Dual Binnacle	67200-88L10	
Flush Mount	67200-93J33	
Wire Harness 16'	36620-93J52	
Wire Harness 21'	36620-93J02	
Wire Harness 26'	36620-93J62	
Power Trim/Tilt Sw.	37805-93J00	
Ignition Sw. Panel Assy.	37100-96J00	
Dual Ign. Sw. Panel Assy	37100-96J15	
Ing. Sw. Emg. Stop/Buzzer	37100-96J25	
Warning Buzzer	38500-92X50	
Emergency Stop Assy.	37803-93J05	
Water Pump Repair Kit	17400-98J01	
Drag Link Kit	67700-93J00	
Propeller Hardware Kit	57630-92E00	
Gear Case Seal Kit	25700-98J00	
Spark Plug	BKR6E	09482-00427

DF150AP/175AP/200AP

Single Engine First Station Kit	67000-98JE4	
Single Engine Second Station Kit	67000-98JF4	
Dual Engine First Station Kit	67000-98JG4	
Dual Engine Second Station Kit	67000-98JH4	
Triple Engine First Station Kit	67000-98JJ4	
Triple Engine Second Station Kit	67000-98JK0	2 req'd
Quad Engine First Station Kit	67000-98J75	
Quad Engine Second Station Kit	67000-98JS5	
Flush Mount Station Kit	67000-98JM2	
Remote Control Assembly, Single	67200-98J04	
Remote Control Assembly, Multi	67200-98J14	
Remote Control Assembly, Flush	67200-98J23	
Panel Assembly, Single	37100-98J11	
Panel Assembly, Dual	37100-98J21	
Panel Assembly, Triple	37100-98J31	
Main Power Key Switch Assembly	37100-98J05	
Panel Assembly, Emergency Stop	37803-93J05	
Warning Buzzer	38500-92X50	
Water Pump Repair Kit	17400-96J02	
Gear Case Seal Kit	25700-93J00	
Drag Link Kit	67701-96J00	
Propeller Hardware Kit	57630-92E00	
Spark Plug	BKR6E	09482-00427
Spark Plug (DF200A)		09482-00649

Specific Application Notes:

* Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)

** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62

*** Under-Hood Electric Start Harness



APPLICATION CHART



DF250AP/300/300A

Single Engine First Station Kit	7000-98JE4	'04 - Current	Panel Assembly, Single	37100-98J11
Single Engine Second Station Kit	67000-98JF4		Panel Assembly, Dual	37100-98J21
Dual Engine First Station Kit	67000-98JG4		Panel Assembly, Triple	37100-98J31
Dual Engine Second Station Kit	67000-98JH4		Main Power Key Switch Assembly	37100-98J05
Triple Engine First Station Kit	67000-98JJ4	2 req'd	Panel Assembly, Emergency Stop	37803-93J05
Triple Engine Second Station Kit	67000-98JK0		Warning Buzzer Assembly	38500-92X50 '04 - Current
Quad Engine First Station Kit	67000-98J75	'04 - Current	Water Pump Repair Kit 250AP	17400-98J02
Quad Engine Second Station Kit	67000-98J85	'04 - Current	300/300AP	17400-98J01
Flush Mount Station Kit	67000-98JM2		Gear Case Seal Kit	25700-98J00
Remote Control Assembly, Single	67200-98J04		Drag Link Kit	67700-93J00
Remote Control Assembly, Multi	67200-98J14		Propeller Nut Kit	57630-92E00
Remote Control Assembly, Flush	67200-98J23		Spark Plug BKR6E	09482-00427



DF300B/350A

Single Engine First Station Kit	67000-98JE4	'04 – Current	Panel Assembly, Single	37100-98J11	
Single Engine Second Station Kit	67000-98JF4		Panel Assembly, Dual	37100-98J21	
Dual Engine First Station Kit	67000-98JG4		Panel Assembly, Triple	37100-98J31	
Dual Engine Second Station Kit	67000-98JH4		Main Power Key Switch Assembly	37100-98J05	
Triple Engine First Station Kit	67000-98JJ4	2 req'd	Panel Assembly, Emergency Stop	37803-93J05	
Triple Engine Second Station Kit	67000-98JK0		Warning Buzzer Assembly	38500-92X50	'04 – Current
Quad Engine First Station Kit	67000-98J75	'04 – Current	Water Pump Repair Kit	17400-98L00	
Quad Engine Second Station Kit	67000-98JB5	'04 – Current	Gear Case Seal Kit	25700-98L01	
Flush Mount Station Kit	67000-98JM2		Propeller Nut Kit	58540-98L00	
Remote Control Assembly, Single	67200-98J04		Front	58640-98L00	
Remote Control Assembly, Multi	67200-98J14		Rear	09482-00642	
Remote Control Assembly, Flush	67200-98J23		Spark Plug ILZKR7D8	09482-00427	
			Spark Plug BKR6E		

Specific Application Notes:

- * Cable is available in one foot increments from 8 to 25 feet. (example: 008 = 8 ft, 025 = 25 ft)
- ** Must use with one of the following Main Harnesses: 16': 36620-93J52 21': 36620-93J02 25': 36620-93J62
- *** Under-Hood Electric Start Harness

SUZUKI

APPLICATION CHART

NOTES



NOTES



The page features horizontal ruling lines spaced evenly down the page. A large, light gray, semi-transparent graphic is centered on the page. It consists of a diamond shape with rounded corners and a diagonal line through it, creating a stylized 'X' or asterisk shape. The graphic is semi-transparent, allowing the underlying lines to be visible.



MECHANICAL AND DIGITAL CONTROLS

SUZUKI

CABLES AND RIGGING

FUEL SYSTEM

PROPS

INSTRUMENTS AND GAUGES

REPAIR AND MAINTENANCE KITS

ECSTAR OIL AND CHEMICALS

ENGINE COVERS

SUZUKI STYLE APPAREL

All information, illustrations, photographs and specifications contained in this catalog are based on the latest product information available at the time of publication. Due to improvements or other changes, there may be some discrepancies in this brochure. Suzuki reserves the right to make production changes at any time, without notice and without incurring any obligation to make the same or similar changes to accessories previously built or sold.

Note: Some items may require installation by an Authorized Suzuki Marine Dealer.



SUZUKI
MARINE

SUZUKI MOTOR OF AMERICA, INC.

3251 East Imperial Highway, Brea, CA 92821

www.suzukimarine.com | www.suzuki.com

